DAHLGREN WASTEWATER TREATMENT PLANT

VPDES PERMIT No. VA0026514

0.97 MGD VIRGINIA POLLUTANT DISCHARGE ELIMINATION SYSTEM

PERMIT APPLICATION - 2013



KING GEORGE COUNTY SERVICE AUTHORITY

9207 Kings Highway King George, VA 22485

Phone: (540)775-2746 Fax: (540) 775-5560

Prepared and submitted by:



P. O. BOX 5881

Midlothian, VA 23112

Phone: (804) 744-1792 | Fax: (804) 545-9072

E-mail: info@retaweng.com

July 15, 2013



Mailing: P. O BOX 5881, Midlothian, Virginia 23112
Phone: (804) 744-1792 | Fax: (804) 545-9075
Location: 2903 Sagecreek Circle, Midlothian, VA 23112

REGIONAL OFFICE

NORTHERN

July 17, 2013

Sent Via- Email

Ms Joan C. Crowther, Permit Writer, Northern Regional Office Virginia Department of Environmental Quality 13901 Crown Court Woodbridge, VA 22193

Re: Application for VPDES Permit No. VA0026514 Dahlgren Wastewater Treatment Plant

Dear Ms. Crowther:

Enclosed is a VPDES permit application for the Dahlgren Wastewater Treatment Plant (WWTP) submitted on behalf of the King George County Service Authority. This application is for the issuance and modification of the existing VPDES permit for the 1.0 MGD facility which expires January 11, 2014 at a revised Design capacity of 0.97 MGD. According to the VPDES permit, the application must be submitted 180 days before the expiration date or by July 15, 2013. Retaw Engineering requested, and was granted an extension via email to July 17, 2013. A hard copy of this application has been mailed to you.

This application contains the following documents:

1.	Cover Letter		1
2.	EPA Form 3510-1A		2
3.	EPA Form 3510-2A		22
	 a. Attachment A –Part D – Expanded Testing Data 		
	b. Attachment B –Part E – Toxicity Test Results		
	c. Figure 1 - Topography Map		1
	d. Figure 2 - Vicinity & Topographic Map	1	
	e. Figure 3 - Location of Wastewater Treatment Plant & Service Area		1
4.	Description of existing facility		
	a. Figure 4 -Process Flow Diagram		
	b. Chemical Use Narrative		1
	c. Chemical Used	1	
5.	Attachment C – Belt Filter Press Sludge Cake Test Results		4
6.	VPDES Permit Application Addendum	1	
7.	Sludge Application Form		18
8.	Attachment D:		
	 a. Sludge generation and handling at the Dahlgren WWTP 	2	
	b. Process Flow Diagram - Sludge digestion & Dewatering	1	
	c. Dewatered Sludge hauling route (to the King George landfill)	1	
9.	Completed Public Notice & Billing Authorization form	1	

Should you have any questions or need clarifications regarding this application, please feel free to contact me at (804) 245 2979 or Mr. Christopher F. Thomas, P.E., at the King George County Service Authority, (540) 775-8563.

Very Truly Yours.

Ignatius Mutoti, PhD, PE Retaw Engineering Page Intentionally Left Blank

15 16 VI. **FACILITY LOCATION** A. STREET, ROUTE NO. OR OTHER SPECIFIC IDENTIFIER DAHLGREN ROAD 16383 5 15 B. COUNTY NAME King George C. CITY OR TOWN E. ZIP CODE F. COUNTY CODE (if known) D. STATE 22485 |King George VΑ 6 15 16 EPA Form 3510-1 (8-90) CONTINUE ON REVERSE

C. STATE

D. ZIP CODE 22485

9207 KINGS HIGHWAY

king george

B. CITY OR TOWN

3 15 16

4

CONTINUED FROM THE FRONT			
VII. SIC CODES (4-digit, in order of priority) A. FIRST		B SECO	NID.
(specify) Sewage Treatment Plant or Facility	<u> </u>	B. SECC specify))ND
7 4952	15 16 - 19		
C. THIRD	611111	D. FOUR	RTH
7		pecify)	
VIII. OPERATOR INFORMATION	15 16 - 19		
A.	NAME		B. Is the name listed in item
8 King George County Service Authori	ty		VIII-A also the owner? ☑ YES □ NO
15 16			55 68
C. STATUS OF OPERATOR (Enter the appropri	riate letter into the answer box: if "Oi (specify)	her," specify.)	D. PHONE (area code & no.)
S = STATE M = PUBLIC (other than federal or .	state) M (Speedys)		A (540) 775-2746
P = PRIVATE 0 = OTTLER (speedy)	56		15 6 - 18 19 - 21 22 - 26
E. STREET OR P.O. BOX	· · · · · · · · · · · · · · · · · · ·		
9207 Kings Highway	{ !		
28		55	
F. CITY OR TOWN		G. STATE H. ZIP CODE	IX. INDIAN LAND
B King George		VA 22485	Is the facility located on Indian lands? ☐ YES ☐ NO
15 16		0 41 42 47 - 51	_5
X. EXISTING ENVIRONMENTAL PERMITS A. NPDES (Discharges to Surface Water)	D DOD (4)- Control on Company		
СТІСТ	D. PSD (Air Emissions from Property)	isea Sources)	
9 N VA0026514 9 P			
15 16 17 18 30 15 16 B. UIC (Underground Injection of Fluids)	17 18	E. OTHER (specify)	
C T C T	VAN010060	(specify)	VPDES General Permit for Total on and Total Phosphorus Discharges
9 U 9 15 16 17 16 30 15 18	17 18	and Wa	tershed Trading in the Chesapeake ned. Virginia
C. RCRA (Hazardous Wastes)		E. OTHER (specify)	TOMY VIEWINIA
9 R		(specify)	
15 16 17 18 30 15 16	17 18	30	
XI, MAP			
Attach to this application a topographic map of the area extending location of each of its existing and proposed intake and discharge injects fluids underground. Include all springs, rivers, and other surface.	structures, each of its hazardous	waste treatment, storage, or d	isposal facilities, and each well where it
XII. NATURE OF BUSINESS (provide a brief description)		See mondations for product to	qui omano.
Wastewater Treatment Plant in King George Con	inty, Virginia.		
The existing plant is a 1.0 MGD Oxidation dit	ch Public Owmed Treats	nent Works (DOMW) tr	coating domostic wastewater
- Residential and Businesses,			
The existing Plant is currently undergoing de upgrades for enhanced treatment for the removement.	esign upgrades to enhar Bal of nitrogen will re	ice treatment. Howe Esult in reduction i	ver, the additional n Plant hydraulic capacity
from 1.0 MGD to 0.97 MGD	_		
Number of the state of the stat		·	
XIII. CERTIFICATION (see instructions)	and familian with the state of	h 14 4 t 41	
I certify under penalty of law that I have personally examined and a inquiry of those persons immediately responsible for obtaining the am aware that there are significant penalties for submitting false info	information contained in the applic	cation. I believe that the inform	all attachments and that, based on my nation is true, accurate, and complete. I
A. NAME & OFFICIAL TITLE (type or print)	B. SIGNATURE	/ /	C. DATE SIGNED
Christopher F. Thomas PE, General	1/1/1 / /	11	
Manager	1/11/14/12/1- Y	Thomas	7-12-2013
COMMENTS FOR OFFICIAL USE ONLY			

Disclaimer

This is an updated PDF document that allows you to type your information directly into the form and to save the completed form. This form is the most updated form currently available.

Note: This form can be viewed and saved only using Adobe Acrobat Reader version 7.0 or higher, or if you have the full Adobe Professional version.

Instructions:

- 1 Type in your information
- 2. Save file (if desired)
- 3. Print the completed form
- 4. Sign and date the printed copy
- 5. Mail it to the directed contact.

DAHLGREN WASTEWATER TREATMENT PLANT VA0026514

FORM

2A NPDES

NPDES FORM 2A APPLICATION OVERVIEW

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- **G. Combined Sewer Systems.** A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

Form	Approve	d 1/14/99
OMB	Number	2040-0086

BASIC APPLICATION INFORMATION PART A. BASIC APPLICATION INFORMATION FOR ALL APPLICANTS: All treatment works must complete questions A.1 through A.8 of this Basic Application Information packet. A.1. Facility Information. Facility name DAHLGREN WASTEWATER TREATMMENT PLANT 9207 KINGS HIGHWAY Mailing Address KING GEORGE, VIRGINIA 22485 Contact person JEFF HOCKADAY WASTEWATER MANAGER Telephone number (540) 775-2746 Facility Address 16383 DAHLGREN ROAD KINGE GEORGE, VIRGINIA 22485 (not P.O. Box) A.2. Applicant Information. If the applicant is different from the above, provide the following: Applicant name King George County Service Authority Mailing Address 9207 Kings Highway King George, VA 22485 Contact person Christopher F. Thomas, PE General Manager Telephone number (540) 775-2746 is the applicant the owner or operator (or both) of the treatment works? operator Indicate whether correspondence regarding this permit should be directed to the facility or the applicant. applicant

A.4.	 Collection System Information. Provide information on municipalities and areas served by the facility. Provide the name and population each entity and, if known, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, privat etc.). 								
	Name	Population Served	Type of Collection System	Ownership					

A.3. Existing Environmental Permits. Provide the permit number of any existing environmental permits that have been issued to the treatment

PSD

Other

Other VAN010060

 Residential
 5.240
 Force Main/Gravity
 Municipal

 1 School
 90 Equivalent Pop.
 Force Main/Gravity
 Municipal

 Commercial
 350 Equivalent Pop.
 Force Main/Gravity
 Municipal

Total population served 5.680

works (include state-issued permits).

NPDES <u>VA0026514</u>

UIC

RCRA

Form Approved 1/14/99 OMB Number 2040-0086

FACILITY NAME AND PERMIT NUMBER: DAHLGREN WASTEWATER TREATMENT PLANT VA0026514

٠٠.	ina	ian Country.						
	а.	Is the treatment works located in Indian Coun	try?					
		Yes No						
	b.	Does the treatment works discharge to a rece through) Indian Country?	iving water that is either in	Indian Country or	that is upstrea	m from (and	eventually	flows
		Yes No						
.6.	Flo	w. Indicate the design flow rate of the treatme	ent plant (i.e., the wastewat	er flow rate that th	ie nlant was hu	ilt to bandle)	: Also prov	vide the
	ave	erage daily flow rate and maximum daily flow ra	ate for each of the last three	e years. Each yea	ar's data must b	e based on		
		iod with the 12th month of "this year" occurring) no more than three montr	is buor to this abb	iication zubiiiti	ai.		
	а.	Design flow rate ngd						
		I	wo Years Ago	<u>Last Year</u>	I	his Year		
	b.	Annual average daily flow rate	0.272		0.206		0.307	mgd
	C.	Maximum daily flow rate	0.373	****	0.376		0.683	mgd
7.	Co	Hection System. Indicate the type(s) of collection	tion system(s) used by the	treatment plant.	Check all that a	apply. Also e	estimate th	e perce
		ntribution (by miles) of each.						
		Separate sanitary sewer					100	%
		Combined storm and sanitary sewer						%
_								
8.	Dis	scharges and Other Disposal Methods.			_			
	a.	Does the treatment works discharge effluent	to waters of the U.S.?			Yes		No
		If yes, list how many of each of the following t	ypes of discharge points th	ie treatment works	s uses;			
		i Discharges of treated effluent				1		
		ii. Discharges of untreated or partially treate	d effluent			0		
		iii. Combined sewer overflow points				0		
		iv. Constructed emergency overflows (prior to	o the headworks)			0		
		v. Other				0		
	L-			fa				
	b.	Does the treatment works discharge effluent impoundments that do not have outlets for dis				Yes	√	Νo
		If yes, provide the following for each surface i	mpoundment:					
		Location:						
		Annual average daily volume discharged to s	urface impoundment(s)				mgd	
		is discharge continuous or	intermittent?					
							1	
	Ç.	Does the treatment works land-apply treated If yes, provide the following for each land app				Yes		No
		I analism						
		Number of acres:	·					
		Annual average daily volume applied to site:			d			
		• • • • • • • • • • • • • • • • • • • •		Mg	u			
		is land application continuous	orintermitt	ent.				
	d.	Does the treatment works discharge or transp		actowater to apoth	or			
		treatment works?	on treated or untreated wa	astemater to accoun	ÇI.		,	

Form Approved 1/14/99 OMB Number 2040-0086

	If transport is by a party other than the applicant, provide.
	Transporter name:
	Mailing Address:
	Contact person:
	Title:
	Telephone number:
	religione transport.
	For each treatment works that receives this discharge, provide the following:
	Name:
	Mailing Address:
	Contact person:
	Title:
	Telephone number:
	If known, provide the NPDES permit number of the treatment works that receives this discharge.
	Provide the average daily flow rate from the treatment works into the receiving facility.
	Does the treatment works discharge or dispose of its wastewater in a manner not included in A.8.a through A.8.d above (e.g., underground percolation, well injection)? Yes
.	
.	If yes, provide the following for each disposal method:

Form Approved 1/14/99 OMB Number 2040-0086

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

1.9.	De	scription of Outfall.	•			
	а.	Outfall number	001		_	
	b.	Location	DAHLO			22845
			KING (town, if applicable) SEORGE		(Zip Code) VA
			(County 38° 19	23" N		(State) 77° 03′ 10′ W
			(Latitud	e)		(Longitude)
	C.	Distance from shore	e (if applicabl	θ)	100 ft.	
	đ.	Depth below surfac	e (if applicab	le)		
	ę.	Average daily flow i	rate			
	ř.	Does this outfall har periodic discharge?		ntermittent or a	Yac 🗸	
					Yes	No (go to A.9.g.)
		If yes, provide the for	ollowing infor	mation:		
		Number of times pe	er year discha	arge occurs;		
		Average duration of	f each discha	arge:		
		Average flow per di	ischarge:			mgd
		Months in which dis	scharge occu	rs:		
	g.	Is outfall equipped (with a diffuse	r?	Yes	No
à.10.	De	scription of Receivi	ing Waters.			
	a.	Name of receiving v	water	WILLIAMS CREE	Κ	
	b.	Name of watershed	d (if known)	<u>u</u>	PPER MACHODOC CREEK	
		United States Soil C	Jonservation	Service 14-digit water	snea code (if known):	
	C.	Name of State Man	agement/Riv	er Basin (if known):	Potomac River	
		United States Cost	opinal Supre	. O digit hudralasia ast	Jaguag unit aada (iftensum)	
		Orlited States (560)	ogical Surve	y o-aigh Hyarologic Cate	iloging unit code (if known):	
	d.	Critical low flow of r				
		acuteN		_	chronic <u>N/A</u>	
	€.	Total hardness of re	eceiving stre	am at critical low flow (i	f applicable) r	mg/l of CaCO3
						•

Form Approved 1/14/99 OMB Number 2040-0086

A.11. Description of	reatment.										
a. What levels	of treatment a	re provid	led? Ch	eck ali t	hat ap	ply.					
	Primary			<u>/_</u> :	Secono	dary					
	Advanced				Other.	Describe:	Tertiary-Nut	rient Remo	oval, Filters, I	JV D	isinfection
b. Indicate the	following remo	val rates	s (as ap	plicable) :						
Design BOD	removat <u>or</u> C	esign Cl	BOD _s re	moval			99		%		
Design SS r	emoval						98		%		
Design P rei	noval						96		%		
Design N rei	noval						91		%		
Other TK	N-N						95				
		sused fo	rthe eff	fluent fr	nm this	s outfall? If die	sinfection varies l	ov season i	olease describ	e	
	Disinfection	, 4004 .0				y gaziani i vi an		-,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•	
	n is by chlorina	ation is o	daehlaria	nation u	ised fo	r this outfalt?		Y	es	1	No
					1300 TO	i tilis octioni	_		~~ es		
d. Does the tre	atment plant n	iave pos	t aeratic	on 7				▼ 1	es <u> </u>		No
parameters. Pri discharged. Do collected throu of 40 CFR Part	ovide the indi not include i gh analysis c 136 and other	cated ef information onducter approp	ffluent t tion on ed using priate Q	esting of combining 40 CF A/QC re	requir ned se R Part equire	ed by the pe wer overflow t 136 method ments for st	rmitting authori vs in this sectio ls. In addition, t andard method:	ty <u>for each</u> n. All infori his data m s for analyt	outfall through mation report ust comply wes not address	th wheel must be seed to the contract of the c	
parameters. Prindischarged. De collected throu of 40 CFR Part At a minimum,	ovide the indiction of include in analysis control of the include in analysis control	cated ef information onducter approp	fluent t tion on ed using priate Q must be	esting (combir g 40 CF A/QC ro e based	requir ned se R Part equire l on at	ed by the pe wer overflow t 136 method ments for st least three s	rmitting authori vs in this sectio ls. In addition, t andard method:	ty <u>for each</u> n. All infori his data m s for analyt ist be no m	outfall throus nation report ust comply w es not addres ore than four	ah wheel mith Quissed I	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart.
parameters. Pringischarged. De collected throu of 40 CFR Part At a minimum,	ovide the indiction of include in analysis control of the include in analysis control	cated ef information onducter approp	ffluent to tion on ed using priate Q must be	esting of combination of the com	requir ned se R Part equire l on at	ed by the perwer overflow to 136 method ments for still least three s	rmitting authori vs in this sectio ls. In addition, t andard methods amples and mu	ty <u>for each</u> n. All infori his data m s for analyt ist be no m	outfall throus nation report ust comply w es not addres ore than four	th wheel many ith Question in	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart.
parameters. Prindischarged. De collected throu of 40 CFR Part At a minimum,	ovide the indiction of include in analysis control of the include in analysis control	cated ef information onducter approp	ffluent to tion on ed using priate Q must be	esting (combir g 40 CF A/QC ro e based	requir ned se R Part equire l on at	ed by the pe wer overflow t 136 method ments for st least three s	rmitting authori vs in this sectio ls. In addition, t andard method:	ty <u>for each</u> n. All infori his data m s for analyt ist be no m	outfall throus nation report ust comply w es not addres ore than four	th wheel many ith Question in	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart.
parameters. Prindischarged. De collected throu of 40 CFR Part At a minimum, Outfall number: PARAM	ovide the indiction of include in analysis control of the include in analysis control	cated ef information onducter approp	ffluent to tion on ed using priate Q must be	esting combing 40 CF A/QC rose based	requir ned se R Part equire l on at	ed by the perwer overflow to 136 method ments for still least three s	rmitting authori vs in this sectio ls. In addition, t andard methods amples and mu	ty <u>for each</u> n. All infori his data m s for analyt ist be no m	outfall throus nation report ust comply w es not addres ore than four	th wheel many ith Question in	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart.
parameters. Prindischarged. De collected throu of 40 CFR Part At a minimum, Outfall number: PARAM	ovide the indiction of include in analysis control of the include in analysis control	cated ef information onducter approp	ffluent to tion on one dusing printe Q must be	esting combing 40 CF A/QC reb based	requir ned se R Part equire l on at	ed by the perver overflow t 136 method ments for st least three s	rmitting authorives in this sections. In addition, the andard methods amples and mu	ty <u>for each</u> n. All infori his data m s for analyt ist be no m	outfall throus nation report ust comply w es not addres ore than four	whed maith Quissed I	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart. JE Number of Samples
parameters. Prindischarged. De collected throu of 40 CFR Part At a minimum, Outfall number: PARAM pH (Minimum)	ovide the indiction of include in analysis control of the include in analysis control	cated ef information onducter approp	M/Va 6.73	esting combing 40 CF A/QC reb based	require R Part equire on at	ed by the perver overflow transfer server overflow transfer server serve	value Value 0.264	ty for each n. All informinis data m s for analyt st be no m AVE	outfall throus nation report ust comply w es not addres ore than four RAGE DAILY Units	VALL	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart. JE Number of Samples
parameters. Prindischarged. De collected throu of 40 CFR Part At a minimum, Outfall number: PARAM pH (Minimum) pH (Maximum) Flow Rate	ovide the indiction of include in analysis control of the include in analysis control	cated ef information onducter approp	M/Va 6.7 1.05	esting combing 40 CF A/QC reb based	require R Part equire I on at	ed by the perver overflow to 136 method ments for strice as three strices. LY VALUE Units S.u. S.u. One of the perver overflow to 136 method to 136 method to 136 method ments for strices.	value Value 1.64 1.6	ty for each n. All infori his data m s for analyt ist be no m AVE	outfall throus nation report ust comply w es not addres ore than four RAGE DAILY Units	VALL	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart. JE Number of Samples 275
parameters. Prindischarged. Do collected throu of 40 CFR Part At a minimum, Outfall number: PARAM PH (Minimum) PH (Maximum) Flow Rate Temperature (Winter) Temperature (Summe	ovide the indicate in out include in out include in out include in	cated ef informal onducter r approp ng data	M/Ve 6.7 1.05 20 30	AXIMUN	require R Parlequire I on at	ed by the perwer overflow to 136 method ments for strices three so you will be ast three so you will be as you willi	value Value 0.264	ty for each n. All informinis data m s for analyt st be no m AVE	outfall throus nation report ust comply w es not addres ore than four RAGE DAILY Units	VALL	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart. JE Number of Samples
parameters. Prindischarged. De collected throu of 40 CFR Part At a minimum, Outfall number: PARAM PH (Minimum) PH (Maximum) Flow Rate Temperature (Winter)	ovide the indicate in the indicate include in the include in the include in the indicate in th	cated ef information onducter rapproping data	M/Ve 6.7 1.05 20 30	esting combing 40 CF A/QC reb based AXIMUN alue 4	require R Partequire I on at	ed by the perver overflow to 136 method ments for strices three strices three strices s.u. s.u. s.u. c.u. c.u. c.u. c.u.	value Value 1.64 1.6	ty for each n. All inform his data m s for analyt est be no m AVE	outfall throus nation report ust comply w es not addres ore than four RAGE DAILY Units	VALL 1 54 6	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart. JE Number of Samples 275
parameters. Prindischarged. Do collected throu of 40 CFR Part At a minimum, Outfall number: PARAM PH (Minimum) PH (Maximum) Flow Rate Temperature (Winter) Temperature (Summe * For pH please	ovide the indicate in the indicate include in the include in the include in the indicate in th	cated ef information onducter rapproping data	MA Va 6.7 1.05 20 30 a maximum DISCHA	esting combing 40 CF A/QC reb based AXIMUN alue 4	require R Parl Parl Parl Parl Parl Parl Parl Parl	ed by the perver overflow to 136 method ments for strices three strices three strices s.u. s.u. s.u. c.u. c.u. c.u. c.u.	value Value 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	ty for each n. All inform his data m s for analyt est be no m AVE	outfall throus nation report ust comply w es not addres ore than four RAGE DAILY Units gd ANALYTIC METHOI	VALL 1 54 6	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart. JE Number of Samples 275 40
parameters. Prindischarged. Do collected throu of 40 CFR Part At a minimum, Outfall number: PARAM PH (Minimum) PH (Maximum) Flow Rate Temperature (Winter) Temperature (Summe * For pH please) POLLUTAN	ovide the indicate in not include in not include in the include in	cated of information ductor appropriate data in the control of the	M/Va 6.7 1.05 20 30 a maxim	AXIMUN alue 4 T9 The DAILY ARGE	require R Part Part Part Part Part Part Part Part	ed by the perver overflow to 136 method ments for strices three strices three strices s.u. s.u. s.u. gd C C AVERA	value Value 0.264 11.6 23.9	m AVE	outfall throus nation report ust comply w es not addres ore than four RAGE DAILY Units gd ANALYTIC METHOI	VALL 1 54 6	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart. JE Number of Samples 275 40
parameters. Pringischarged. Do collected throu of 40 CFR Part At a minimum, Outfall number: PARAM pH (Minimum) pH (Maximum) Flow Rate Temperature (Winter) Temperature (Summe * For pH please POLLUTAN	ovide the indicate in not include in not include in the include in	cated of information and uctor appropriate	M/Va 6.7 1.05 20 30 a maxim	AXIMUN alue 4 T9 The DAILY ARGE	require R Part Part Part Part Part Part Part Part	ed by the perver overflow to 136 method ments for strices three strices three strices s.u. s.u. s.u. gd C C AVERA	value Value 0.264 11.6 23.9	m AVE	outfall throus nation report ust comply w es not addres ore than four RAGE DAILY Units gd ANALYTIC METHOI	VALL 1 54 6	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart. JE Number of Samples 275 40
discharged. Do collected throu of 40 CFR Part At a minimum, Outfall number: PARAM pH (Minimum) pH (Maximum) Flow Rate Temperature (Winter) Temperature (Summe * For pH please	ovide the indicate in not include in not include in the include in	cated of information and uctor appropriate	M. Va 6.7 1.05 20 30 a maxim AXIMUM DISCHA	AXIMUN alue 4 T9 The DAILY ARGE	neduire R Parlequire I on at DAIL	ed by the perver overflow to 136 method ments for strices three strices three strices s.u. s.u. s.u. gd C C AVERA	value Value 0.264 11.6 23.9	m AVE	outfall throus mation report ust comply w es not addres ore than four RAGE DAILY Units gd ANALYTIC METHOI	VALL	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart. JE Number of Samples 275 40
parameters. Principles of the parameters of the	poide the indicate in the indicate include in the i	cated of information ductor appropries data in the control of the	M/ Va 6.7- 1.05 20 30 a maxim AXIMUM DISCHA	AXIMUN alue 4 79 MIDAILY ARGE Unit	ned see R Parie Pa	ed by the perwer overflow to 136 method ments for stileast three s	value Value Value 0.264 11.6 23.9 Units	m AVE AVE AVE AVE AVE AVE AVE AVE	outfall throus nation report ust comply w es not addres ore than four RAGE DAILY Units Gd ANALYTIC METHOI	VALL	nich effluent is ust be based on data A/QC requirements by 40 CFR Part 136. one-half years apart. JE Number of Samples 275 40 h13 ML / MDL


REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

Form Approved 1/14/99 OMB Number 2040-0086

DAH		REIN WASTEWATER TREATMENT PLAINT VAUUZ0314
ВА	S	IC APPLICATION INFORMATION
PAR	T	B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).
All a	pр	icants with a design flow rate \geq 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).
B.1.	!	nflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration. N/A gpd
	E	Briefly explain any steps underway or planned to minimize inflow and infiltration.
	Ī	No significant Infiltration
B.2.	t	Topographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.) See Figure 1: DAHLGREN WASTEWATER TREATMENT PLANT VICINITY MAP The area surrounding the treatment plant, including all unit processes.
	t	The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
	C	Each well where wastewater from the treatment plant is injected underground.
	C	Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
Ì	6	Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
	f	If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.
	ba ch flo	rocess Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all ackup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g., allorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily aw rates between treatment units. Include a brief namative description of the diagram.
B.4.	o	peration/Maintenance Performed by Contractor(s).
		re any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a outractor?YesNo
		yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional ages if necessary).
	Ν	ame:
	М	ailing Address:
		elephone Number:esponsibilities of Contractor:
B.5.	ur tre	cheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or accompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the eatment works has several different implementation schedules or is planning several improvements, submit separate responses to question 5 for each. (If none, go to question B.6.)
:	a.	List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.
	b.	Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.

✓ Yes ___No

TOPOGRAPHIC MAP: DAHLGREN WASTEWATER TREATMENT PLANT




SCALE 1: 25,000

2,000

FEET

6,000

4,000




DAHLGREN WWTP Site Plan (IMAGERY)





600

200

FEET







CHEMICAL INVENTORY

Below is a list of chemicals used at the Dahlgren Wastewater Treatment Plant and estimated quantities stored at the facility. Actual quantities will depend on when an order was made and the usage rate at that particular time.

CHEMICAL	USE	ESTIMATED QUANTITIES
Alum (Dry)	Phosphorus removal to meet effluent limit	60 x 50 lb Bags
	Currently facility is using	MANAGEMENT OF THE PROPERTY OF
Molasses	Molasses but is in the process of	
	switching to BiocarbND 80 due to	3,500 Gallons
(Plant switch to	its higher COD value of	· .
BiocarbND 80)	approximate 1,200,000 mg/L	
	compared to molasses COD value	
	of approximately 690,000 mg/L.	
	Supplement cBOD5 to Enhance	
	denitrification and overall nitrogen	
	removal to meet limit of 4.0 mg/L	
Soda Ash	Supplement Alkalinity for	30 x 50 lb Bags
	enhanced Nitrogen removal and	
	pH control, on as needed basis	

DAHLGREN WASTEWATER TREATMENT PLANT VA0026514

С	If the answer to B.5.b is "Yes," briefly describe, including new maximum daily inflow rate (if applicable).							
d.	applicable. For imp	sed by any complian provements planned e dates as accurately	independently of local, St	il dates of completion for the implementation steps listed below, as tate, or Federal agencies, indicate planned or actual completion dates, as				
			Schedule	Actual Completion				
	implementation Sta	age	MM / DD / YYYY	MM / DD / YYYY				
	- Begin construction	on	<u>11 / 30 / 2013</u>					
	- End construction		9 / 29/ 2014					
	- Begin discharge		10 / 01 / 2014					
	- Attain operationa	l level	01 / 01 / 2015					
€.	Have appropriate p	permits/clearances co	oncerning other Federal/S	State requirements been obtained? Yes Vo				
	Describe briefly: _	Plans and Specific Certificate to Cons	cations currently under struct anticipated Aug (DEQ Review. 09, 2013 (tentative)				

B.6. EFFLUENT TESTING DATA (GREATER THAN O.1 MGD ONLY).

Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall Number: 001

POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE				
	Conc.	Units	Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML/MDL
CONVENTIONAL AND NON	CONVENTIONA	COMPOUND	S.	l 		* · · · · · · · · · · · · · · · ·	<u> </u>
AMMONIA (as N)	2.8	mg/L	0.21	mg/L	156	4500-NH3 F	0.1
CHLORINE (TOTAL RESIDUAL, TRC)	NotRequired						
DISSOLVED OXYGEN	15.7	mg/L	9.6	mg/L	1092	4500-G	0.1
TOTAL KJELDAHL NITROGEN (TKN)	33.6	mg/L	5.8	mg/L	48	4500-NH3F	0.1
NITRATE PLUS NITRITE NITROGEN	9.55	mg/L	4.0	mg/L	156	300.0/4500-NO2-	B 0.1 & 0.01
OIL and GREASE	PENDING	mg/L	PENDING	mg/L	*****	5520	5
PHOSPHORUS (Total)	0.92	mg/L	0.29	mg/L	780	4500-P-E	0.01
TOTAL DISSOLVED SOLIDS (TDS)	PENDING	mg/L	PENDING	mg/L	*****	2540 C	1
OTHER (T. Hardness)	85	mg/L	32	mg/L	52	2340C	2

END OF PART B. REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

DHALGREN WASTEWATER TREATMENT PLANT, VA0026514

Form Approved 1/14/99 OMB Number 2040-0086

BASIC APPLICATION INFORMATION

PART C. CERTIFICATION

All applicants must complete the Certification Section. Refer to instructions to determine who is an officer for the purposes of this certification. All applicants must complete all applicable sections of Form 2A, as explained in the Application Overview. Indicate below which parts of Form 2A you have completed and are submitting. By signing this certification statement, applicants confirm that they have reviewed Form 2A and have completed

Basic Application Information packet	Supplemental Application Information packet:
	✓ Part D (Expanded Effluent Testing Data)
	Part E (Toxicity Testing: Biomonitoring Data)
	Part F (Industrial User Discharges and RCRA/CERCLA Wastes)
	Part G (Combined Sewer Systems)
ALL APPLICANTS MUST COMPLETE THE FOLIC	NWING CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title	Christopher F. Thomas PE, General Manager
	Must be of the
Signature	Maryk 4. Thomas
Telephone number	(540) 775-2746

July 12, 2013 Date signed

Upon request of the permitting authority, you must submit any other information necessary to assess wastewater treatment practices at the treatment works or identify appropriate permitting requirements.

SEND COMPLETED FORMS TO:

Joan C. Crowther VPDES Permit Writer Virginia Department of Environmental Quality Northern Regional Office 13901 Crown Court Woodbridge, VA 22193 Phone: (703) 583-3925

Email address: joan.crowther@deq.virginia.gov

DAHLGREN WASTEWATER TREATMENT PLANT VA0026514

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

See Attachment A - LAB DATA: EPANDED EFFLUENT TEST RESULTS Outfall number: 001 (Complete once for each outfall discharging effluent to waters of the United States.) POLLUTANT MAXIMUM DAILY AVERAGE DAILY DISCHARGE DISCHARGE Conc. Units Mass Units Conc. Units Mass Units Number ANALYTICAL ML/ MDL METHOD of Samples METALS (TOTAL RECOVERABLE), CYANIDE, PHENOLS, AND HARDNESS. ANTIMONY ARSENIC **BERYLLIUM** CADMIUM CHROMIUM COPPER LEAD MERCURY NICKEL SELENIUM SILVER THALLIUM ZINC CYANIDE TOTAL PHENOLIC COMPOUNDS HARDNESS (AS CaCO₃) Use this space (or a separate sheet) to provide information on other metals requested by the permit writer

Form Approved 1/14/99 OMB Number 2040-0086

FACILITY NAME AND PERMIT NUMBER: DAHLGREN WASTEWATER TREATMENT PLANT VA0026514

POLLUTANT		olete once for each outfall discharging effluent to waters of the United States.) MAXIMUM DAILY AVERAGE DAILY DISCHARGE									
1 022017 441		DISC	HARGE							ANIAL VITICAL	NAL ANALYS
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
VOLATILE ORGANIC COMPOUNDS.											
ACROLEIN											
ACRYLONITRILE											
BENZENE											
BROMOFORM											
CARBON TETRACHLORIDE											
CLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE											
2-CHLORO-ETHYLVINYL ETHER											
CHLOROFORM											
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE											
1,2-DICHLOROETHANE											
TRANS-1,2-DICHLORO-ETHYLENE											
t,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE											
1,3-DICHLORO-PROPYLENE											
ETHYLBENZENE											
METHYL BROMIDE											
METHYL CHLORIDE											
METHYLENE CHLORIDE											
1,1,2,2-TETRACHLORO-ETHANE											
TETRACHLORO-ETHYLENE											
TOLUÉNE											

Outfall number:POLLUTANT		/AXIMU	M DAIL	h outfall Y			EDAILY						
	Conc.		Mass	Units	Сопс.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL		
1,1,1-TRICHLOROETHANE													
1,1,2-TRICHLOROETHANE													
TRICHLORETHYLENE			•										
VINYL CHLORIDE													
Use this space (or a separate shee	t) to provide in	formatio	n on other	volatile o	rganic cor	mpounds	requeste	d by the p	ermit writer.				
ACID-EXTRACTABLE COMPOUN	IDS												
P-CHLORO-M-CRESOL													
2-CHLOROPHENOL											,		
2,4-DICHLOROPHENOL													
2,4-DIMETHYLPHENOL	+												
4,6-DINITRO-O-CRESOL	· · · · · · · · · · · · · · · · · · ·												
2,4-DINITROPHENOL													
2-NITROPHENOL	1												
4-NITROPHENOL													
PENTACHLOROPHENOL:													
PHENOL													
2,4,6-TRICHLOROPHENOL													
Use this space (or a separate shee	t) to provide in	formatio	n on other	r acid-extr	actable co	mpound	ı s requesti ı	ed by the	permit writer.	1			
BASE-NEUTRAL COMPOUNDS.									·				
ACENAPHTHENE		Ī		<u> </u>		T							
ACENAPHTHYLENE													
ANTHRACENE													
BENZIDINE													
BENZO(A)ANTHRACENE													
22. 25¢ y 17004E													

Outfall number:POLLUTANT		1AXIMU	IM DAIL				EDAILY		the United S ARGE	·	
	Conc.	Units	IARGE Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
3,4 BENZO-FLUORANTHENE											
BENZO(GHI)PERYLENE											
BENZO(K)FLUORANTHENE											· · · · · · · · · · · · · · · · · · ·
BIS (2-CHLOROETHOXY) METHANE						!					
BIS (2-CHLOROETHYL)-ETHER											
BIS (2-CHLOROISO-PROPYL) ETHER											
BIS (2-ETHYLHEXYL) PHTHALATE											
4-BROMOPHENYL PHENYL ETHER											
BUTYL BENZYL PHTHALATE											
2-CHLORONAPHTHALENE											
4-CHLORPHENYL PHENYL ETHER											
CHRYSENE									:		
DI-N-BUTYL PHTHALATE											
DI-N-OCTYL PHTHALATE											
DIBENZO(A,H) ANTHRACENE											
1,2-DICHLOROBENZENE											
1,3-DICHLOROBENZENE											
1,4-DICHLOROBENZENE											
3,3-DICHLOROBENZIDINE											
DIETHYL PHTHALATE				:							
DIMETHYL PHTHALATE											
2,4-DINITROTOLUENE											
2,6-DINITROTOLUENE											
1,2-DIPHENYLHYDRAZINE											

Form Approved 1/14/99 OMB Number 2040-0086

Outfall number:	_ (Comp	lete ond	e for eac	ch outfall	discharg	ing efflu	uent to w	aters of	the United	States.)	
POLLUTANT	V		JM DAIL' HARGE	Y	/A	/ERAG	DAILY	DISCH	ARGE		
	Conc.		Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
FLUORANTHENE											
FLUORENE											
HEXACHLOROBENZENE											
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO- PENTADIENE											
HÉXACHLOROETHANE											
INDENO(1,2,3-CD)PYRENE											
ISOPHORONE											
NAPHTHALENE											
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE							·				
N-NITROSODI-PHENYLAMINE											
PHENANTHRENE											
PYRENE											
1,2,4-TRICHLOROBENZENE											
Use this space (or a separate sheet) to	provide in	iformatio	n on other	base-nei	ıtral comp	aunds re	quested b	y the per	rmit writer.		
Use this space (or a separate sheet) to	provide in	iformatio	n on othei	pollutant	s (e.g., pe	sticides)	requested	by the p	ermit writer.		

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information
 requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate
 methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E.
 If no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to

complete. E.1. Required Tests. Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years. E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one column per test (where each species constitutes a test). Copy this page if more than three tests are being reported Test number:_____ Test number:_____ Test number:___ Test information. Test species & test method number Age at initiation of test Outfall number Dates sample collected Date test started Duration b. Give toxicity test methods followed. Manual title Edition number and year of publication Page number(s) c. Give the sample collection method(s) used. For multiple grab samples, indicate the number of grab samples used. 24-Hour composite Grab d. Indicate where the sample was taken in relation to disinfection, (Check all that apply for each) Before disinfection After disinfection After dechlorination

Form Approved 1/14/99 OMB Number 2040-0086

	Test number:	Test number:	Test number:
e. Describe the point in the treatmer	nt process at which the sample was	collected.	
Sample was collected:			
f. For each test, include whether the	test was intended to assess chronic	toxicity, acute toxicity, or both.	
Chronic toxicity			
Acute toxicity			
g. Provide the type of test performed	d.		•
Static			
Static-renewal			
Flow-through			
h. Source of dilution water. If labora	atory water, specify type; if receiving	water, specify source.	
Laboratory water			
Receiving water			
i. Type of dilution water. It salt wate	r, specify "natural" or type of artificia	l sea salts or brine used.	
Fresh water			
Salt water			
j. Give the percentage effluent used	for all concentrations in the test sen	es.	
Grands a strong transcriptory.			
engreden (growniews) kalandara Skoling (discul) registe di Propi groundsboer Cantill Cristialian des disc a la transporte di Station (discul) de discul			
k. Parameters measured during the	test. (State whether parameter mee	ts test method specifications)	
рН			
Salinity			
Temperature			
Ammonia			
Dissolved oxygen			
i. Test Results.			
Acute:			
Percent survival in 100% effluent	%	%	%
LC ₅₀			
. 95% C.I.	%	%	%
Control percent survival	%	%	%
Other (describe)			

Form Approved 1/14/99 OMB Number 2040-0086

Chronic:			
NOEC	%	%	%
IC ₂₅	%	%	%
Control percent survival	%	%	%
Other (describe)			
m. Quality Control/Quality Assuran	ce.		
Is reference toxicant data available?			
Was reference toxicant test within acceptable bounds?			
What date was reference toxicant test run (MM/DD/YYYY)?			
Other (describe)			
E.3. Toxicity Reduction Evaluation. Is	the treatment works involved in a To	ixicity Reduction Evaluation?	
YesNo If yes,	describe:		
E.4. Summary of Submitted Biomonito cause of toxicity, within the past for summary of the results.	ring Test Information. If you have ir and one-half years, provide the dat	submitted biomonitoring test informat tes the information was submitted to the	 ion, or information regarding the ne permitting authority and a
Date submitted:	(MM/DD/YYYY)		
Summary of results: (see instruction	ns)		
1			

END OF PART E.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE.

Form Approved 1/14/99 OMB Number 2040-0086

DAHLGREN WASTEWATER TREATMENT PLANT VA0026514

SUPPLEMENTAL APPLICATION INFORMATION

PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES N/A All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must

7 4	NERAL INFORMATION:
. 1.	Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program?
	YesNo
.2.	Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following typo findustrial users that discharge to the treatment works.
	a. Number of non-categorical SIUs.
	b. Number of ClUs.
SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	ply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 provide the information requested for each SIU.
·.3.	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.
	Name:
	Mailing Address:
4	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
F. 5 .	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
F. 5 .	
F.5.	discharge. Principal product(s):
- .5.	discharge.
F.5.	discharge. Principal product(s):
	Raw material(s): Flow Rate.
	Raw material(s): Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons
	discharge. Principal product(s): Raw material(s): Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	Raw material(s): Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons
	discharge. Principal product(s): Raw material(s): Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. gpd (continuous orintermittent) b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection
	discharge. Principal product(s): Raw material(s): Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. gpd (continuous orintermittent) b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	discharge. Principal product(s): Raw material(s): Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. gpd (continuous orintermittent) b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection
F.6.	discharge. Principal product(s): Raw material(s): Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. gpd (continuous orintermittent) b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
F.6.	discharge. Principal product(s): Raw material(s): Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
F.6.	discharge. Principal product(s): Raw material(s): Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. gpd (continuous orintermittent) b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. gpd (continuous orintermittent) Pretreatment Standards. Indicate whether the SIU is subject to the following:

FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 DAHLGREN WASTEWATER TREATMENT PLANT VA0026514 F.8. Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years? If yes, describe each episode RCRA HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DEDICATED PIPELINE: F.9. RCRA Waste. Does the treatment works receive or has it in the past three years received RCRA hazardous waste by truck, rail, or dedicated pipe? ____Yes ___No (go to F.12.) F.10. Waste Transport. Method by which RCRA waste is received (check all that apply): Rail Dedicated Pipe Truck F.11. Waste Description. Give EPA hazardous waste number and amount (volume or mass, specify units). EPA Hazardous Waste Number <u>Amount</u> CERCLA (SUPERFUND) WASTEWATER, RCRA REMEDIATION/CORRECTIVE ACTION WASTEWATER, AND OTHER REMEDIAL ACTIVITY WASTEWATER: F.12. Remediation Waste. Does the treatment works currently (or has it been notified that it will) receive waste from remedial activities? ____Yes (complete F.13 through F.15.) Provide a list of sites and the requested information (F.13 - F.15.) for each current and future site. F.13. Waste Origin. Describe the site and type of facility at which the CERCLA/RCRA/or other remedial waste originates (or is expected to originate in the next five years). F.14. Pollutants. List the hazardous constituents that are received (or are expected to be received). Include data on volume and concentration, if known. (Attach additional sheets if necessary). F.15. Waste Treatment. a. Is this waste treated (or will it be treated) prior to entering the treatment works? If yes, describe the treatment (provide information about the removal efficiency): b. Is the discharge (or will the discharge be) continuous or intermittent? ___Intermittent If intermittent, describe discharge schedule

END OF PART F.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART G. COMBINED SEWER SYSTEMS

N/A

If the treatment works has a combined sewer system, complete Part G.

- G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information)
 - a. All CSO discharge points.
 - b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
 - c. Waters that support threatened and endangered species potentially affected by CSOs.
- **G.2. System Diagram.** Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:
 - a. Locations of major sewer trunk lines, both combined and separate sanitary.
 - b. Locations of points where separate sanitary sewers feed into the combined sewer system.
 - c. Locations of in-line and off-line storage structures.
 - d. Locations of flow-regulating devices.
 - e. Locations of pump stations.

CSO	\sim	ITEA	
LSU	u	JICA	LLS

Com	plete	quest	lions	G.3	th	rough	G.6	опсе	for	each	CSO	dis	ch	arg	e j	poin	ıt.

G.3. D	es	cription of Outfall.			
8	ā.	Outfall number			
t) .	Location	(City or town, if applicable)	(Zip Code)	
			(County)	(State)	
			(Latitude)	(Longitude)	
c	٥.	Distance from shore (if a	pplicable)	ft.	
c	d.	Depth below surface (if a	applicable)	ft.	
е	€.	Which of the following w	ere monitored during the last year for this CS	so?	
		Rainfall	CSO pollutant concentrations	CSO frequency	
		CSO flow volume	Receiving water quality		
f	i.	How many storm events	were monitored during the last year?		
G.4. C	sc	D Events.			
a	а.	Give the number of CSO	events in the last year.		
		events (_actual orapprox.)		
b	٥.	Give the average duration	n per CSO event.		
		hours (actual or approx.)		

Form Approved 1/14/99 OMB Number 2040-0086

C.	Give the average volume per CSO event.
	million gallons (actual or approx.)
d.	Give the minimum rainfall that caused a CSO event in the last year.
	inches of rainfall
G.5. Description of Receiving Waters.	
a.	Name of receiving water:
b.	Name of watershed/river/stream system:
	United States Soil Conservation Service 14-digit watershed code (if known):
C.	Name of State Management/River Basin:
	United States Geological Survey 8-digit hydrologic cataloging unit code (if known):
G.6. CSO Operations.	
pe	escribe any known water quality impacts on the receiving water caused by this CSO (e.g., permanent or intermittent beach closings, imanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water ality standard).
_	
END OF PART G.	
	d. Des a. b.

END OF PART G.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE.

Additional information, if provided, will appear on the following pages.

PUBLIC NOTICE BILLING INFORMATION

I hereby authorize the Department of Environmental Quality to have the cost of publishing a public notice billed to the Agent/Department shown below. The public notice will be published once a week for two consecutive weeks in the Free Lance Star in accordance with 9 VAC25-31-290.C.2

Agent/Department to be

billed:

King George County Service Authority

Owner:

King George County Service Authority

Agent/Department Address:

9207 Kings Highway

King George, VA 22485

Agent's Telephone No.:

(540) 775-2746

Printed Name:

Christopher F. Thomas, PE

Authorizing Agent -

Signature:

Date:

VPDES Permit No.: VA0026514

Facility Name:

DAHLGREN WASTEWATER TREATMENT PLANT

VPDES Permit Application Addendum

2 Is	will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may or may the facility or property owner.
J. 15	this facility located within city or town boundaries? Yes No 🖂
3. Pr	rovide the tax map parcel number for the land where the discharge is located. 9–88B
	or the facility to be covered by this permit, how many acres will be disturbed during the next years due to new construction activities? zero
	That is the design average effluent flow of this facility? 1.0 MGD or industrial facilities, provide the max. 30-day average production level, include units:
otl	addition to the design flow or production level, should the permit be written with limits for any her discharge flow tiers or production levels? Yes No I ff "Yes", please identify the other flowers (in MGD) or production levels: 0.97 MGD. The 1.0 MGD Tier is to be eliminated and Permit modified for 0.97 MGD ONLY
	e consider the following questions for both the flow tiers and the production levels (if applicable): Do you plan to d operations during the next five years? Is your facility's design flow considerably greater than your current flow?
6. N a	ature of operations generating wastewater:
Don	nestic uses, schools, and commercial – hotels, business centers, shopping center
O.	0 % of flow from domestic connections/sources
	umber of private residences to be served by the treatment works: 2057
110	amber of private residences to be served by the treatment works.
_10	<u>0</u> % of flow from non-domestic connections/sources
7. M	lode of discharge:
	entify the characteristics of the receiving stream at the point just above the facility's scharge point:
	•
	Permanent stream, never dry
dis	Permanent stream, never dry Intermittent stream, usually flowing, sometimes dry
dis	Permanent stream, never dry Intermittent stream, usually flowing, sometimes dry Ephemeral stream, wet-weather flow, often dry
dis	Permanent stream, never dry Intermittent stream, usually flowing, sometimes dry Ephemeral stream, wet-weather flow, often dry Effluent-dependent stream, usually or always dry without effluent flow
dis	Permanent stream, never dry Intermittent stream, usually flowing, sometimes dry Ephemeral stream, wet-weather flow, often dry Effluent-dependent stream, usually or always dry without effluent flow Lake or pond at or below the discharge point
dis	Permanent stream, never dry Intermittent stream, usually flowing, sometimes dry Ephemeral stream, wet-weather flow, often dry Effluent-dependent stream, usually or always dry without effluent flow
dis	Permanent stream, never dry Intermittent stream, usually flowing, sometimes dry Ephemeral stream, wet-weather flow, often dry Effluent-dependent stream, usually or always dry without effluent flow Lake or pond at or below the discharge point

VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

SCREENING INFORMATION

This application is divided into four sections. Section A pertains to all applicants. The applicability of Sections B, C and D depends on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

1.	All applicants must complete Section A (General Information).					
2.	Does this facility generate sewage sludge? X Yes No					
	Does this facility derive a material from sewage sludge? Yes No					
	If you answered "Yes" to either, complete Section B (Generation Of Sewage Sludge or Preparation Of A Material Derived From Sewage Sludge).					
3.	Does this facility apply sewage studge to the land? YesX No					
	Is sewage sludge from this facility applied to the land? Yes No					
	If you answer "No" to all above, skip Section C.					
	If you answered "Yes" to either, answer the following three questions:					
	 Does the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions? Yes No 					
	b. Is sewage sludge from this facility placed in a bag or other container for sale or give-away for application to the land? Yes No					
	c. Is sewage sludge from this facility sent to another facility for treatment or blending? Yes No					
	If you answered "No" to all three, complete Section C (Land Application Of Bulk Sewage Sludge).					
	If you answered "Yes" to a, b or c, skip Section C.					
4.	Do you own or operate a surface disposal site? YesX No					
	If "Yes", complete Section D (Surface Disposal).					

SECTION A. GENERAL INFORMATION

All applicants must complete this section.

1.	Fac	cility Information.
	a.	Facility name: DAHLGREN WASTEWATER TREATMENT PLANT
	b.	Contact person: Christopher F. Thomas P.E
		Title: General Manager
		Phone: (540) 775-2746
	c.	Mailing address:
		Street or P.O. Box: 9207 Kings Highway
		City or Town: King George State: VA Zip: 22485
	d.	Facility location:
		Street or Route #: 16383 Dahlgren Road
		County: King George
		City or Town: King George State: VA Zip: 22485
	e.	Is this facility a Class I sludge management facility? YesX No
	f.	Facility design flow rate: Current: 1.0 MGD. To be Modified to 0.97 MGD
	g.	Total population served: 5,680 people - Est. 2,230 Equivalent Residential Connections
	h.	Indicate the type of facility:
		X Publicly owned treatment works (POTW)
		Privately owned treatment works
		Federally owned treatment works
		Blending or treatment operation
		Surface disposal site
		Other (describe):
2.	Ap	plicant Information. If the applicant is different from the above, provide the following:
	a.	Applicant name: King George County Service Authority
	ь.	Mailing address:
		Street or P.O. Box: 9207 Kings Highway
		City or Town: King George State: VA Zip: 22485
	c.	Contact person: Christopher F. Thomas
		Title: General Manager
		Phone: (540) 775-2746
	d.	Is the applicant the owner or operator (or both) of this facility? X ownerX operator
	e.	Should correspondence regarding this permit be directed to the facility or the applicant? facility X applicant
3.	Per	mit Information.
	a.	Facility's VPDES permit number (if applicable): <u>VA0026514</u>
	b.	List on this form or an attachment, all other federal, state or local permits or construction approvals received or applied for that regulate this facility's sewage sludge management practices:
		Permit Number: Type of Permit:
		VDH-RAHD-12 Sewage Handling Permit VA0026514
4.		lian Country. Does any generation, treatment, storage, application to land or disposal of sewage sludge from this facility our in Indian Country? Yes X No If "Yes", describe:


- 5. Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility See FIGURE 1 TOPOGRAPHIC MAP
 - a. Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed.
 - b. Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.
- 6. Line Drawing. Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction. See Figure 4 –PROCESS FLOW DIAGRAM

7.	Contractor Information. Are any operational or maint treatment, use or disposal the responsibility of a contract		_		-	ted to se	ewage sludge generatio	n,
	If "Yes", provide the following for each contractor (attack	If "Yes", provide the following for each contractor (attach additional pages if necessary).						
	Name: WASTE MANAGEMENT							
	Mailing address:							
	Street or P.O. Box: 45 Utah Place							_
	City or Town: Falmouth			State: V	<u>A</u>	Zip:	22485	_
	Phone: (800) 969-2069							
	Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge:							
	VIRGINIA Department of Environmental Quality Permit # for King George Landfill: 586							_
	If the contractor is responsible for the use and/or disposa	d of i	the sew	aoe sludo	e provide a	descrin	tion of the service to be	

If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).

8. Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old. [SEE ATTACHMENT B – BELT PRESS CAKE REPORT OF ANALYSIS]

POLLUTANT	CONCENTRATION (mg/kg dry weight)	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
Arsenic				
Cadmium				
Chromium				
Copper	SEE	ATTACHMEN	ТС-	
Lead	i I		PRESS	
Mercury	SLUI	GE CAKE T	ESTING	
Molybdenum		NEXT PAG.	<u>-</u>	
Nickel				
Selenium				
Zinc				



Analytical Summary

Enviro Compliance Laboratories, Inc. 10357 Old Keeton Road Ashland, Virginia 23005-8110 (804)550-3971

Fax: (804)550-3826

www.envirocompliance.com

email: labdirector@envirocompliance.com

King George Service Authority

Attn: Jeff Hockaday 10459 Courthouse Drive

King George, VA 22485

Project Name : Dahlgren WWTP

Date Received: June 14, 2012

Date Issued : June 29, 2012

Lab # 1(A-B)/Sample ID : Beltpress sludge cake Date/Time Date/Time Sampled: June 14, 2012 10:45 Analyzed Method Analyst QL Prepared Parameter Result Units ug/1 ECL-H 06-22/0830 06-22/1630 1311 5.00 Trichloroethene BQL 06-22/1630 1311 ECL-H 06-22/0830 ug/1 5.00/ Benzene BOL 06-22/0830 06-22/1630 1311 BCL-H Tetrachloroethene BOL ug/l 5.00 06-22/1630 1311 ECL-H ug/1 5.00 06-22/0830 Chlorobenzene BOL 06-22/0830 06-22/1630 1311 ECL-H BOL ug/l 10.00 1,4-Dichlorobenzene 06-22/1630 1311 ECL-H ug/1 50.00 06-22/0830 Methyl ethyl ketone BQL 06-25/1630 8082 ECL-H 06-25/0830 PCB as Arochlor 1221 BQL mg/kg 1.0 ECL-H 06-25/1630 8082 06-25/0830 PCB as Arochlor 1232 mg/kg = 1.30BQL mg/kg 1.0 06-25/0830 06-25/1630 8082 ECL-H PCB as Arochlor 1242 BQL **06-25/0830** 06-25/1630 8082 ECL-H PCB as Arochlor 1016 mg/kg 1.0 BQL ECL-H 06-25/0830 06-25/1630 8082 mg/kg PCB as Arochlor 1248 BQL 1.0 ECL-H 06-25/1630 8082 06-25/0830 PCB as Arochlor 1254 BQL mg/kg 1.0 06-25/0830 06-25/1630 8082 ECL-H PCB as Arochlor 1260 BOL mg/kg 1.0

BQL = Below Quantitation Level

All data meets NELAC requirements unless otherwise noted.

* Sample was not analyzed within holding times. sub = Analysis was sub-contracted.

L \ Hudson


appratory Director

Report #: R2695930 Page 2 of 3



VELAP ID#: 460032





Analytical Summary

Enviro Compliance Laboratories, Inc. 10357 Old Keeton Road Ashland, Virginia 23005-8110 (804)550-3971 Fax: (804)550-3826 www.envirocompliance.com

email: labdirector@envirocompliance.com

King George Service Authority

Attn: Jeff Hockaday 10459 Courthouse Drive

Project Name : Dahlgren WWTP - Date Received: June 14, 2012 Date Issued : June 29, 2012

King George, VA 22485

Lab # 1(A-B)/Sample ID ; : Beltpress sludge cake									
Sampled: June 14, 2012 10	1:45		-	Date/Time	Date/Time				
Parameter	Result	Units	QL	/ Prepared	Analyzed	Method	Analyst		
Paint Filter	BQL m	1/100g	1 ,	06-21/1005	0 6-21/1039	9095	ECL-H		
Corrosivity	Negative	mg/kg	/	06-21/0955	<u>_0</u> 6-21/0955	7.2	ECL-H		
pH HT	5.67	SU		>06-21/0955	06-21/0955	4500-H+E	B ECL-H		
TCLP Metals:						1311			
Arsenic	BOL	mg/l	.05	06-25/1000	06-25/1407	6020	ECL-H		
Barium	BQL	mg/l	0.05	06-20/0935	06-27/1210	7000B	ECL-H		
Cadmium	BQL	mg/l	0.05	06-25/1000	06-25/1407	6020	ECL-H		
Chromium	BQL	mg/l	0,05	06-25/1000	06-25/1407	6020	ECL-H		
Lead	BQL	mg/1	0.05	06-25/1000	06-25/1407	6020	ECL-H		
Mercury	BQL	mg/l	002	06-20/1300	06-20/1605	7471B	ECL-H		
Selenium	BQL	mg/l	.05	06-25/1000	06-25/1407	6020	ECL-H		
Silver	BQL	mg/l	10	<u>06-25</u> /1000	06-25/1407	6020	ECL-H		
TCLP Semi-volatiles			i			1311			
2,4,6-Trichlorophenol	BQL	ug/l	10.00	06-25/0830	06-25/1630	1311	ECL-H		
Pentachlorophenol	BQL	ug/l	50.00	06-25/0830	06-25/1630	1311	ECL-H		
o-Cresol	BQL	ug/1	10.00	06-25/0830	06-25/1630	1311	ECL-H		
m-Cresol	BQL	ug/l	10.00	06-25/0830	06-25/1630	1311	ECL-H		
p-Cresol	BQL	ug/1	10.00	06-25/0830	06-25/1630	1311	ECL-H		
2,4,5-Trichlorophenol	BOL	ug/1	10.00	06-25/0830	06-25/1630	1311	ECL-H		
Pyridine	BQL	ug/l	10.00	06-25/0830	06-25/1630	1311	ECL-H		
Hexachloroethana	BQL	ug/l	10.00	06-25/0830	06-25/1630	1311	ECL-H		
Nitrobenzene	BQL	<u>ug/1</u>	10.00	06-25/0930	06-25/1630	1311	ECL-H		
Hexachlorobutadiene	BQL	ug/l	10.00	06-25/0830	06-25/1630	1311	ECL-H		
2,4-Dinitrotoluene	BQL	ug/l	10.00	06-25/0830	06-25/1630	1311	ECL-H		
Hexachlorbenzene	BQL	ug/l	10.00	06-25/0830	06-25/1630	6020	ECL-H		
TCLP Volatiles						1311			
Vinyl chloride	BQL	ug/1	20.00	06-22/0830	06-22/1630	1311	ECL-H		
1,1-Dichloroethene	BQL	ug/l	5.00	06-22/0830	06-22/1630	1311	ECL-H		
Chloroform	BQL	ug/l	5.00	06-22/0830	06-22/1630	1311	ECT-H		
1,2-Dichloroethane	BQL	ug/l	5.00	06-22/0830	06-22/1630		ECL-H		
Carbon tetrachloride	BQL	ug/l	5.00	06-22/0830	06-22/1630	1311	ECL-H		
	_								

BQL = Below Quantitation Level


All data meets NELAC requirements unless otherwise noted.

* Sample was not analyzed within holding times.

sub* = Analysis was sub-contracted.

Report #: R2695930 Page 1 of 3





Analytical Summary

Enviro Compliance Laboratories, Inc. 10357 Old Keeton Road Ashland, Virginia 23005-8110 (804)550-3971 Fax: (804)550-3826 www.envirocompliance.com

email: labdirector@envirocompliance.com

King George Service Authority

Attn: Jeff Hockaday 10459 Courthouse Drive King George, VA 22485 Project Name : Dahlgren WWTP

Date Received: August 21, 2012

Date Issued : September 07, 2012

Lab # 1(A)/Sample ID

: Sludge Cake

Sampled: August 21, 2012 11:40

Date/Time Date/Time

Parameter Oil and Grease Result Units BQL mg/1

Prepared

Analyzed Method

09-05/1630

09-06/0945 1311/1664 ECL-H

BQL = Below Quantitation Level (Result is less than stated QL)
All data meets NELAC requirements unless otherwise noted.

dratory Director

Report #: R2896895 Page 1 of 2



VELAP ID#: 460032



9.	Certification. Read and submit the following certification statement with this application. Refer to the instructions to determine who is an officer for purposes of this certification. Indicate which parts of the application you have completed and are submitting:					
	_X Section A (General Information)					
	<u>X</u> Section B (Generation of Sewage Sludge or Preparation of a Material Derived from Sewage Sludge)					
	Section C (Land Application of Bulk Sewage Sludge)					
	Section D (Surface Disposal)					
	"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."					
	Name and official title: Christopher F. Thomas, PE, King George County Service Authority General Manager					
	Signature Mastyle 4. Thomas Date Signed July 12, 2013					
	Telephone number: (540) 775-2746					
	Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.					

SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION OF A MATERIAL DERIVED FROM SEWAGE SLUDGE

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

1. Amount Generated On Site. (Note: sludge is combined with Sludge from other KGCSA owned Facilities at the Dahlgren wastewater treatment plant)

Total dry metric tons per 365-day period generated at your facility: 76 dry metric tons

2.	dis	mount Received from Off Site. If your facility receives sewage sludge from another facility for treatment, use or sposal, provide the following information for each facility from which sewage sludge is received. If you receive sewage addge from more than one facility, attach additional pages as necessary.						
	a.	Facility name: Fairview Beach, Purkins Corner, Oakland Park and Hopyard Farms WWTPs						
	b.	Contact Person: Jeff Hockaday						
		Title: Wastewater Manager - King George County Service Authority						
		Phone: (540) -775 -2746						
	c.	Mailing address: 9207 KINGS HIGHWAY						
		Street or P.O. Box: N/A						
		City or Town: KING GEORGE State: VA Zip: 22485						
		Facility locations: Fairview Beach: 7152 Potomac Landing drive, King George Purkins Corner:_11224 Henry Road, King George, VA Oakland Park: 1015 French Court, Oakland Park Subdivision, King George, VA Hopyard State Road 607, South of Intersection of State Route 3 and 607, King George, VA 22485						
	e.	Total dry metric tons per 365-day period received from this facility: 240 dry metric tons						
	f.	Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-site facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics:						
	Ae	obic digestion / Studge Holding prior to hauling						
3.	Tre	atment Provided at Your Facility.						
	a.	Which class of pathogen reduction is achieved for the sewage sludge at your facility? Class A Class BX Neither or unknown						
	b.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce						
		pathogens in sewage sludge: <u>Aerobic Digestion – prior dewatering using Belt Filter Press Disposed at the landfill</u>						
	c. Which vector attraction reduction option is met for the sewage sludge at your facility?							
		Option 1 (Minimum 38 percent reduction in volatile solids)						
		Option 2 (Anaerobic process, with bench-scale demonstration)						
		Option 3 (Aerobic process, with bench-scale demonstration)						
		Option 4 (Specific oxygen uptake rate for aerobically digested sludge)						
		Option 5 (Aerobic processes plus raised temperature)						
		Option 6 (Raise pH to 12 and retain at 11.5)						
		Option 7 (75 percent solids with no unstabilized solids)						
		Option 8 (90 percent solids with unstabilized solids)						
		X None or unknown						
	d.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector						
		attraction properties of sewage sludge: <u>N/A</u>						
	e.	Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including blending, not identified in a - d above: <u>N/A</u>						
4.	Pre	paration of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and One of						

(I)	f sewage sludge from your facility does not meet all of these criteria, skip Question 4.)
a.	Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land:
	N/A dry metric tons
b.	Is sewage sludge subject to this section placed in bags or other containers for sale or give-away? Yes No
Sa	le or Give-Away in a Bag or Other Container for Application to the Land.
	omplete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land plication. Skip this question if sewage sludge is covered in Question 4.)
a.	Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility for
	sale or give-away for application to the land: N/A dry metric tons
b.	Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or given away in a bag or other container for application to the land.
Si	sipment Off Site for Treatment or Blending.
bl Sl	complete this question if sewage sludge from your facility is sent to another facility that provides treatment or ending. This question does not apply to sewage sludge sent directly to a land application or surface disposal site. cip this question if the sewage sludge is covered in Questions 4 or 5. If you send sewage sludge to more than one cility, attach additional sheets as necessary.)
a.	Receiving facility name: N/A
b.	
	Title:
c.	
	Title:Phone:Mailing address:
	Title:Phone:
	Title:
c.	Title:
c.	Title: Phone: Mailing address: Street or P.O. Box: City or Town: State: Zip: Total dry metric tons per 365-day period of sewage sludge provided to receiving facility:
c. d.	Title:Phone:
c. d.	Title:Phone:
c. d.	Title: Phone: Mailing address: Street or P.O. Box: City or Town: State: Zip: Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: N/A dry metric tons List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of all othe federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal practices: Permit Number: Type of Permit:
c. d. e.	Title: Phone: Mailing address: Street or P.O. Box: City or Town: State: State: Zip: Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: N/A dry metric tons List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of all oth federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal practices: Permit Number: Type of Permit: VA0026514 VPDES Municipal Major Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your facility?
c. d. e.	Title:Phone:
c. d. e.	Phone: Mailing address: Street or P.O. Box: City or Town: Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: N/A dry metric tons List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of all oth federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal practices: Permit Number: Type of Permit: VA0026514 VPDES Municipal Major Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your facility? X Yes No Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility? Class A Class B X Neither or unknown
c. d. e.	Title:Phone:
c. d. e.	Title:

FACIL	ITY NAME: DAHLGREN WASTEWATER TREATMENT PLANT VPDES PERMIT NUMBER: VA0026514
	Option 6 (Raise pH to 12 and retain at 11.5)
	Option 7 (75 percent solids with no unstabilized solids)
	Option 8 (90 percent solids with unstabilized solids)
	None unknown
	Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce
	vector attraction properties of sewage sludge:
<u>Aerob</u>	ic sludge digestion in 166,784 gallon digester volume at the 1.0 MGD Dahlgren WWTP at more than 40 days retention
	sulting in greater than 40% volatile solids reduction at design capacity. The Dahlgren WWTP is currently operating at
	s design capacity.
h.	Does the receiving facility provide any additional treatment or blending not identified in f or g above? Yes X No
	If "Yes", describe, on this form or another sheet of paper, the treatment processes not identified in f or g above:
i.	If you answered "Yes" to f, g or h above, attach a copy of any information you provide to the receiving facility to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G.
j	Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give-away for application to the land? Yes X No
	If "Yes", provide a copy of all labels or notices that accompany the product being sold or given away.
k.	Will the sewage sludge be transported to the receiving facility in a truck-mounted watertight tank normally used for such purposes?YesXNo. If "No", provide description and specification on the vehicle used to transport the sewage sludge to the receiving facility.
	Show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of the week
	and the times of the day sewage sludge will be transported:
(C	and Application of Bulk Sewage Sludge. N/A Somplete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in uestions 4, 5 or 6. Complete Question 7.b, c & d only if you are responsible for land application of sewage sludge.) Total dry metric tons per 365-day period of sewage sludge applied to all land application sites: N/A dry metric tons
b.	Do you identify all land application sites in Section C of this application? Yes No
0.	If "No", submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in accordance with the instructions).
c.	Are any land application sites located in States other than Virginia? Yes No
	If "Yes", describe, on this form or on another sheet of paper, how you notify the permitting authority for the States where the land application sites are located. Provide a copy of the notification.
d.	Attach a copy of any information you provide to the owner or lease holder of the land application sites to comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).

8. Surface Disposal. N/A

9.

(Ca	omplete Question 8 if sewage sludge from your facility is placed on a surface disposal site.)
a.	Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal
	sites: N/A dry metric tons
b.	Do you own or operate all surface disposal sites to which you send sewage sludge for disposal? Yes No
	If "No", answer questions c - g for each surface disposal site that you do not own or operate. If you send sewage sludge to more than one surface disposal site, attach additional pages as necessary.
c.	Site name or number: N/A
d.	Contact person: N/A
	Title: N/A
	Phone: N/A
	Contact is: Site Owner Site operator
e.	Mailing address:
	Street or P.O. Box: N/A
f.	Total dry metric tons per 365-day period of sewage sludge from your facility placed on this surface disposal
	site: N/A dry metric tons
g.	List, on this form or an attachment, the surface disposal site VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the sewage sludge use or disposal practices at the surface disposal site:
	Permit Number: Type of Permit:
	<u>N/A</u> <u>N/A</u>
(Ce	cineration. N/A complete Question 9 if sewage sludge from your facility is fired in a sewage sludge incinerator.)
a.	Total dry metric tons per 365-day period of sewage sludge from your facility fired in a sewage sludge
	incinerator: N/A dry metric tons
Ь.	Do you own or operate all sewage sludge incinerators in which sewage sludge from your facility is fired? Yes No
	If "No", answer questions c - g for each sewage sludge incinerator that you do not own or operate. If you send sewage sludge to more than one sewage sludge incinerator, attach additional pages as necessary.
c.	Incinerator name or number: N/A
d.	Contact person: N/A
	Title: N/A
	Phone: N/A
	Contact is: Incinerator Owner Incinerator Operator
e.	Mailing address:
	Street or P.O. Box: N/A
	City or Town: N/A Zip: N/A
f.	Total dry metric tons per 365-day period of sewage sludge from your facility fired in this sewage sludge
	incinerator: N/A dry metric tons
g.	List on this form or an attachment the numbers of all other federal, state or local permits that regulate the firing

FACILITY NAME: DAHLGREN WASTEWATER TREATMENT PLANT VPDES PERMIT NUMBER: VA0026514 of sewage sludge at this incinerator: Permit Number: Type of Permit: N/A ______ N/A ___ 10. Disposal in a Municipal Solid Waste Landfill. (Complete Question 10 if sewage sludge from your facility is placed on a municipal solid waste landfill. Provide the following information for each municipal solid waste landfill on which sewage sludge from your facility is placed. If sewage sludge is placed on more than one municipal solid waste landfill, attach additional pages as necessary.) a. Landfill name: King George County Landfill b. Contact person: **Jeff Jenkins** Title: Director of Sludge Waste Phone: (540) 775-3123 Contact is: X Landfill Owner Landfill Operator c. Mailing address: Street or P.O. Box: 10459 Courthouse Road, Suite 200 City or Town: King George State: VA Zip: 22485 d. Landfill location. Street or Route #: 10376 Bullock Drive County: King George State: <u>VA</u> Zip: <u>22485</u> City or Town: King George e. Total dry metric tons per 365-day period of sewage sludge placed in this municipal solid waste landfill: dry metric tons (1.184 wet (~20% solids) tons for the period Jan 2009 – Nov 2010 – WM records) List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the operation of this municipal solid waste landfill: Permit Number: Type of Permit: DEQ 586 5249 Waste Management Approval Code (King George Landfill) Does sewage sludge meet applicable requirements in the Virginia Solid Waste Management Regulation, 9 VAC 20-80-10 et seq., concerning the quality of materials disposed in a municipal solid waste landfill?

h. Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid Waste

Will the vehicle bed or other container used to transport sewage sludge to the municipal solid waste landfill be

Show the haul route (s) on a location map or briefly describe the route below and indicate the days of the week and time of the day sewage sludge will be transported: See Sludge Management Plan (MAP for route, sludge is

Management Regulation, 9 VAC 20-80-10 et seq.? X Yes No

watertight and covered? X Yes No

transported Mon-Fri 6 a.m. - 6 p.m.)

VPDES Sewage	Sludge	Permit	Application	Form	(2000)	Rev.)

___X__Yes _____No

SECTION C. LAND APPLICATION OF BULK SEWAGE SLUDGE - N/A

Complete this section for sewage sludge that is land applied unless any of the following conditions apply:

- The sewage sludge meets the Table 1 ceiling concentrations, the Table 3 pollutant concentrations, Class A pathogen requirements and one of the vector attraction reduction options 1-8 (fill out B.4 instead) (EQ Sludge); or
- The sewage sludge is sold or given away in a bag or other container for application to the land (fill out B.5 instead); or
- You provide the sewage sludge to another facility for treatment or blending (fill out B.6 instead).

Complete Section C for every site on which the sewage sludge that you reported in B.7 is land applied.

I	lde	entification of Land Application Site.		
a	a.	Site name or number: N/A		
t	b.	Site location (Complete i and ii)		
		i. Street or Route#:		
		County:		
		City or Town:		
		ii. Latitude: Long	itude:	
		Method of latitude/longitude determination USGS map Filed survey	Other	
c	c.	Topographic map. Provide a topographic map (or o shows the site location.	other appropriate map if a top	ographic map is unavailable) tha
(Ow	vner Information.		
а	a.	Are you the owner of this land application site?	Yes No	
ł	b.	If "No", provide the following information about th	e owner:	
		Name:		
		Street or P.O. Box:		
		City or Town:		Zip:
			State:	
A	Ap	Phone: ()	State:	
	Ap] a.	Phone: () plier Information: Are you the person who applies, or who is responsi	State:	
a		Phone: () plier Information:	State: ble for application of, sewage	sludge to this land application si
a	a.	Phone: () plier Information: Are you the person who applies, or who is responsi Yes No If "No", provide the following information for the process.	State: ble for application of, sewage berson who applies the sewage	sludge to this land application si
a	a.	Phone: () plier Information: Are you the person who applies, or who is responsifully given by the person of the property of the pr	State: ble for application of, sewage berson who applies the sewage	sludge to this land application si
a	a.	Phone: () plier Information: Are you the person who applies, or who is responsi Yes No If "No", provide the following information for the process.	State: ble for application of, sewage berson who applies the sewage	sludge to this land application si
a	a.	Phone: () plier Information: Are you the person who applies, or who is responsi Yes No If "No", provide the following information for the polynome: Street or P.O. Box: City or Town:	State: ble for application of, sewage berson who applies the sewageState:	sludge to this land application si
t	a.	Phone: () plier Information: Are you the person who applies, or who is responsi Yes No If "No", provide the following information for the power of the po	State:State:State:State:State:State:	sludge to this land application so
t	a. b.	Phone: () plier Information: Are you the person who applies, or who is responsi Yes No If "No", provide the following information for the polynome: Street or P.O. Box: City or Town: Phone: () List, on this form or an attachment, the numbers of	State:State:State:State:State:State:	sludge to this land application site sludge: Zip:
t	a. b.	Phone: () plier Information: Are you the person who applies, or who is responsi Yes No If "No", provide the following information for the polynome: Street or P.O. Box: City or Town: Phone: () List, on this form or an attachment, the numbers of applies sewage sludge to this land application site:	State:State:State:State:State:State:	sludge to this land application s e sludge: Zip:
a t	a. b.	Phone: () plier Information: Are you the person who applies, or who is responsi Yes No If "No", provide the following information for the polynome: Street or P.O. Box: City or Town: Phone: () List, on this form or an attachment, the numbers of applies sewage sludge to this land application site:	State: ble for application of, sewage berson who applies the sewage State: all federal, state or local perm	sludge to this land application site sludge: Zip:
a t	a. b.	Phone: () plier Information: Are you the person who applies, or who is responsi Yes No If "No", provide the following information for the policy Name: Street or P.O. Box: City or Town: Phone: () List, on this form or an attachment, the numbers of applies sewage sludge to this land application site: Permit Number: Type of Permit:	State:State:State:State:State:State:State:State:state or local perm	sludge to this land application site sludge: Zip:

FACILITY NAME; DAHLGREN WASTEWATER TREATMENT PLANT VPDES PERMIT NUMBER: VA0026514 a. Indicate which vector attraction reduction option is met: Option 9 (Injection below land surface) Option 10 (Incorporation into soil within 6 hours) b. Describe, on this form or on another sheet of paper, any treatment processes used at the land application site to reduce the vector attraction properties of sewage sludge: 6. Cumulative Loadings and Remaining Allotments. (Complete Question 6 only if the sewage sludge applied to this site since July 20, 1993 is subject to the cumulative pollutant loading rates (CPLRs) - see instructions.) Have you contacted DEQ or the permitting authority in the state where the sewage sludge subject to the CPLRs will be. applied to ascertain whether bulk sewage sludge subject to the CPLRs has been applied to this site since July 20, 1993? Yes No If "No", sewage sludge subject to the CPLRs may not be applied to this site. If "Yes", provide the following information: Permitting authority: Contact person: Phone: () Based upon this inquiry, has bulk sewage sludge subject to the CPLRs been applied to this site since July 20, 1993? Yes _____ No If "No", skip the rest of Question 6. If "Yes", answer questions c - e. Site size, in hectares: (one hectare = 2.471 acres) Provide the following information for every facility other than yours that is sending or has sent sewage sludge subject to the CPLRs to this site since July 20, 1993. If more than one such facility sends sewage sludge to this site, attach additional pages as necessary. Facility name: Facility contact: Title: Phone: (_____) Mailing address. Street or P.O. Box: State: ____ Zip: ____ e. Provide the total loading and allotment remaining, in kg/hectare, for each of the following pollutants: Cumulative loading Allotment remaining Arsenic Cadmium Copper Lead Mercury Nickel Selenium

Complete Questions 7-12 below only if you apply sewage sludge, or you are responsible for land application of sewage sludge. Information required by these questions may be prepared as attachments to this form. Skip the following questions if you contract land application to someone else (as indicated under Section A.7) who is responsible for the operation.

Zinc

7.	Slu	dge Characterization. Use the table below or a separate attachment, provide at least one analysis for each parameter.
		PCBs (mg/kg)
		pH (S. U.)
		Percent Solids (%)
		Ammonium Nitrogen (mg/kg)
		Nitrate Nitrogen (mg/kg)
		Total Kjeldahl Nitrogen (mg/kg)
		Total Phosphorus (mg/kg)
		Total Potassium (mg/kg)
		Alkalinity as CaCO ₃ * (mg/kg)
		* Lime treated sludge (10% or more lime by dry weight) should be analyzed for percent CaCO ₃ .
8.	Sto	orage Requirements.
	inco calo	sting and proposed sludge storage facilities must provide an estimated annual sludge balance on a monthly basis orporating such factors as storage capacity, sludge production and land application schedule. Include pertinent culations justifying storage requirements.
	Pro	posed sludge storage facilities must also provide the following information:
	a.	A sludge storage site layout on a 7.5 minute topographic quadrangle or other appropriate scaled map to show the following topographic features of the surrounding landscape to a distance of 0.25 mile. Clearly mark the property line. 1) Water wells, abandoned or operating
	b.	Surface waters Springs Public water supply(s) Sinkholes Underground and/or surface mines Mine pool (or other) surface water discharge points Mining spoil piles and mine dumps Quarry(s) Sand and gravel pits Gas and oil wells Diversion ditch(s) Agricultural drainage ditch(s) Landfills or dumps Other unlined impoundments Septic tanks and drainfields Injection wells Injection wells Rock outcrops A topographic map of sufficient detail to clearly show the following information:
	υ.	1) Maximum and minimum percent slopes 2) Depressions on the site that may collect water 3) Drainageways that may attribute to rainfall run-on to or runoff from this site 4) Portions of the site (if any) which are located with the 100-year floodplain and how the storage facility will be protected from flooding
	c.	Data and specifications for the storage facility lining material.
	d.	Plan and cross-sectional views of the storage facility.
	е.	Depth from the bottom of the storage facility to the seasonal high water table and separation distance to the permanent

9. Land Area Requirements. Provide calculations justifying the land area requirements for land application of sewage sludge taking into consideration average soil productivity group, crop(s) to be grown and most limiting factor(s) of the sewage sludge, specifically Plant Available Nitrogen (PAN), Calcium Carbonate Equivalence (CCE), and metal loadings

water table.

(CPLR sewage sludge only), where applicable. Relate PAN, CCE, and metal loadings to demonstrate the most limiting factor for land application.

10. Landowner Agreement Forms. Provide a properly completed Sewage Sludge Application Agreement Form (attached) for each landowner if sewage sludge is to be applied onto land not owned by the applicant.

11. Ground Water Monitoring.

Are any ground water monitoring data available for this land application site? _____ Yes _____ No

If "Yes", submit the ground water monitoring data with this permit application. Also submit a written description of the well locations, approximate depth to ground water, and the ground water monitoring procedures used to obtain these data.

12. Land Application Site Information.

(Complete Items a-d for sites receiving infrequent application - land application of sewage sludge up to the agronomic rate at a frequency of once in a 3 year period; complete Items a-h for sites receiving frequent application - land application of sewage sludge in excess of 70% the agronomic rate at a frequency greater than once in a 3 year period)

- a. Provide a general location map for each county which clearly indicates the location of all the land application sites.
- b. For each land application site provide a site plan of sufficient detail to clearly show the concerned landscape features and associated buffer zones (See instructions). Provide a legend for each landscape feature and the net acreage for each field taking into account the proposed buffer zones.
- c. In order to ensure that land application of bulk sewage sludge will not impact federally listed threatened or endangered species or federally designated critical habitat, the applicant must notify the field office of the U. S. Department of the Interior, Fish and Wildlife Service (FWS), by a letter, the proposed land application activities with the identification of the land application sites. The address and phone number of FWS are provided below.

U.S. Fish and Wildlife Service Virginia Field Office

P.O. Box 480

White Marsh, VA 23183

TEL: (804) 693-6694

Provide a copy of the notification letter with this application form.

 d. Provide a soil survey map, preferably photographically based, with the field boundaries clearly marked. (A USDA-SCS soil survey map should be provided, if available.)

Provide a detailed legend for each soil survey map which uses accepted USDA-SCS descriptions of the typifying pedon for each soil series (soil type). Complex associations may be described as a range of characteristics. Soil descriptions shall include as a minimum the following information.

- 1) Soil symbol
- 2) Soil series, textural phase and slope range
- 3) Depth to seasonal high water table
- 4) Depth to bedrock
- 5) Estimated soil productivity group (for the proposed crop rotation)

Item e - h are required for sites receiving frequent application of sewage sludge

- e. In order to verify the information provided in item d, characterize the soil at each land application site. Representative soil borings or test pits to a depth of five feet or to bedrock if shallower, are to be coordinated for the typifying pedon of each soil series (soil type). Soil descriptions shall include as a minimum the following information:
 - 1) Soil symbol
 - 2) Soil series, textural phase and slope range
 - 3) Depth to seasonal high water table
 - 4) Depth to bedrock
 - 5) Estimated soil productivity group (for the proposed crop rotation)
- f. Collect and analyze soil samples from each field, weighted to best represent each of the soil borings performed for Item e. Using the table below or a separate attachment, provide at least one analysis per sample for each of the following parameters.

Soil Organic Matter (%)	-
Soil pH (std. units)	

Cation Exchange Capacity (meq/100g)	
Total Nitrogen (ppm)	
Organic Nitrogen (ppm)	- N.S. 1971
Ammonia Nitrogen (ppm)	
Nitrate Nitrogen (ppm)	
Available Phosphorus (ppm)	
Exchangeable Potassium (mg/100g)	
Exchangeable Sodium (mg/100g)	
Exchangeable Calcium (mg/100g)	
Exchangeable Magnesium (mg/100g)	
Arsenic (ppm)	
Cadmium (ppm)	
Copper (ppm)	
Lead (ppm)	
Mercury (ppm)	
Molybdenum (ppm)	
Nickel (ppm)	
Selenium (ppm)	
Zinc (ppm)	
Manganese (ppm)	
Particle Size Analysis or USDA Textural Estimate (%)	

- g. Relate the crop nutrient needs to anticipated yields, soil productivity rating and the various fertilizer or nutrient sources from sludge and chemical fertilizers. Describe any specialized agronomic management practices which may be required as a result of high soil pH. If the sludge is expected to possess an unusually high CCE or other unusual properties, provide a description of any plant tissue testing, supplemental fertilization or intensive agronomic management practices which may be necessary.
- h. Using a narrative format and referencing any related charts, describe the proposed cropping system. Show how the crop rotation and management will be coordinated with the design of the land application system. Include any supplemental fertilization program, soil testing and the coordination of tillage practices, planting and harvesting schedules and timing of land application.

SEWAGE SLUDGE APPLICATION AGREEMENT - N/A

Th	is sewage sludge application agreement is made on this o	date	between
	, referred to here a	s "landowner", and	
ref	erred to here as the "Permittee".		
Lai	ndowner is the owner of agricultural land shown on the r	map attached as Exhibit A and designa	ated there as
cer	("landowner's land tain permit requirements following application of sewag	d"). Permittee agrees to apply and lange sludge on landowner's land in amou	
a n	nanner authorized by VPDES permit number	which is held by the P	Permittee.
cor hea	ndowner acknowledges that the appropriate application of inditioning to the property. Moreover, landowner acknow alth, the following site restrictions must be adhered to what fuction:	vledges having been expressly advised	that, in order to protect public
1.	Food crops with harvested parts that touch the sewage be harvested for 14 months after application of sewage		ove the land surface shall not
2.	Food crops with harvested parts below the surface of the sewage sludge when the sewage sludge remains on the soil;		
3.	Food crops with harvested parts below the surface of the sewage sludge when the sewage sludge remains on the soil;		
4.	Food crops, feed crops, and fiber crops shall not be ha	rvested for 30 days after application o	f sewage sludge;
5.	Animals shall not be grazed on the land for 30 days aft	ter application of sewage sludge;	
6.	Turf grown on land where sewage sludge is applied shall sludge when the harvested turf is placed on either land specified by the State Water Control Board;		
7.	Public access to land with a high potential for public essludge;	xposure shall be restricted for one yea	r after application of sewage
8.	Public access to land with a low potential for public exsludge.	sposure shall be restricted for 30 days	after application of sewage
9.	Tobacco, because it has been shown to accumulate cad following the application of sewage sludge borne cadn		
spe	rmittee agrees to notify landowner or landowner's design ecifically prior to any particular application to landowner itten notice to the address specified below.		
	Landowner:	Permittee:	
	Signature	Signature	
	Mailing Address	Mailing Address	

SECTION D. SURFACE DISPOSAL - N/A

Complete this section only if you own or operate a surface disposal site. Provide the information for each active sewage sludge unit.

Inf	orm	nation on Active Sewage Sludge Units.
a.	Ur	nit name or number: N/A
b.	Ur	nit location
	i.	Street or Route#:
		County:
		City or Town:
	ii.	Latitude: Longitude:
		Method of latitude/longitude determination USGS map Filed survey Other
c.		pographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable) that ows the site location.
d.	To	stal dry metric tons of sewage sludge placed on the active sewage sludge unit per 365-day period:
		dry metric tons.
e.	To	otal dry metric tons of sewage sludge placed on the active sewage sludge unit over the life of the unit:
		dry metric tons.
f.		bes the active sewage sludge unit have a liner with a minimum hydraulic conductivity of 1 x 10 ⁻⁷ cm/sec? Yes No If "Yes", describe the liner or attach a description.
g.		bes the active sewage sludge unit have a leachate collection system? Yes No "Yes", describe the leachate collection system or attach a description. Also, describe the method used for leachate
		sposal and provide the numbers of any federal, state or local permits for leachate disposal:
h.	Is	you answered "No" to either f or g, answer the following: the boundary of the active sewage sludge unit less than 150 meters from the property line of the surface disposal e? Yes No If "Yes", provide the actual distance in meters:
i.		emaining capacity of active sewage sludge unit, in dry metric tons: dry metric tons
		nticipated closure date for active sewage sludge unit, if known:(MM/DD/YYYY)
		ovide with this application a copy of any closure plan developed for this active sewage sludge unit.
Sev		e Sludge from Other Facilities.
	_	age sludge sent to this active sewage sludge unit from any facilities other than yours? Yes No
		", provide the following information for each such facility, attach additional sheets as necessary.
a.		cility name:
b.		cility contact:
		tle:
	Ph	none: ()
c.	M.	ailing address:
Ψ.		reet or P.O. Box:
		ty or Tours: State: Zin:

1.

2.

Permit Number:	Type of Permit:
Which class of pa	athogen reduction is achieved before sewage sludge leaves the other facility?
-	Class B Neither or unknown
Describe, on this	form or on another sheet of paper, any treatment processes used at the other facility to reduce
pathogens in sew	age sludge:
Which vector attr	raction reduction option is achieved before sewage sludge leaves the other facility?
Option 1 (Minimum 38 percent reduction in volatile solids)
Option 2 (Anaerobic process, with bench-scale demonstration)
Option 3 (Aerobic process, with bench-scale demonstration)
Option 4 (Specific oxygen uptake rate for aerobically digested sludge)
Option 5 (Aerobic processes plus raised temperature)
Option 6 (Raise pH to 12 and retain at 11.5)
Option 7 (75 percent solids with no unstabilized solids)
Option 8 (90 percent solids with unstabilized solids)
None or u	nknown
Describe, on this	form or another sheet of paper, any treatment processes used at the other facility to reduce
vector attraction	properties of sewage sludge:
Describe, on this	form or another sheet of paper, any other sewage sludge treatment activities performed by the
other facility that	are not identified in e - h above:
ctor Attraction R	
Which vector attruit?	raction reduction option, if any, is met when sewage sludge is placed on this active sewage slud
Ontion 9 ((Injection below land surface)
Option > ((Incorporation into soil within 6 hours)
Option 10	(Covering active sewage sludge unit daily)
Option 10	(Covering active sewage sludge unit daily) form or another sheet of paper, any treatment processes used at the active sewage sludge unit
Option 10 Option 11 Describe, on this	
Option 10 Option 11 Describe, on this	form or another sheet of paper, any treatment processes used at the active sewage sludge unit
Option 10 Option 11 Describe, on this to reduce vector	form or another sheet of paper, any treatment processes used at the active sewage sludge unit attraction properties of sewage sludge: itoring.
Option 10 Option 11 Describe, on this to reduce vector ound Water Mon Is ground water r	form or another sheet of paper, any treatment processes used at the active sewage sludge unit attraction properties of sewage sludge:

3.

4.

data. b. Has a ground water monitoring program been prepared for this active sewage sludge unit? _____ Yes ____ No If "Yes", submit a copy of the ground water monitoring program with this application. c. Have you obtained a certification from a qualified ground water scientist that the aquifer below the active sewage sludge unit has not been contaminated? _____ Yes ____ No If "Yes", submit a copy of the certification with this application. 5. Site-Specific Limits. Are you seeking site-specific pollutant limits for the sewage sludge placed on the active sewage sludge unit? Yes ____ No If "Yes", submit information to support the request for site-specific pollutant limits with this

application.

PUBLIC NOTICE BILLING INFORMATION

I hereby authorize the Department of Environmental Quality to have the cost of publishing a public notice billed to the Agent/Department shown below. The public notice will be published once a week for two consecutive weeks in *the Free Lance Star* in accordance with 9 VAC25-31-290.C.2

Agent/Department to be

billed: King George County Service Authority

Owner: King George County Service Authority

Agent/Department Address: 9207 Kings Highway

King George, VA 22485

Agent's Telephone No.: (540) 775-2746

Printed Name: Christopher F. Thomas, PE

Authorizing Agent – Signature: Mustak f. Hannad

Date: <u>July</u> 12, 2013

VPDES Permit No.: VA0026514

Facility Name: DAHLGREN WASTEWATER TREATMENT PLANT



James R. Reed & Associates

Environmental Testing

770 Pilot House Drive • Newport News, Virginia 23606 (757) 873-4703 • Fax 873-1498

Memorandum

Date: May 25, 2012

To: Jeff Hockaday, King George County

From: Lei Dong, Reed and Associates

Re: Toxicity testing for outfall 001

5 2012 JUN

KGCSA

Attached is the bioassay report for outfall 001. The result passed the requirement of your permit for:

Chronic A.bahia Toxicity Test:

NOEC=4% effluent (TUc=25)

Chronic C.variegatus Toxicity Test:

NOEC=100% cffluent (TUc=1)

If you have any questions and comments, please call me.



May 25, 2012

DAHLGREN WWTP

Sample ID: 001 NPDES#: VA0026514 JRA ID: 12-07496

Chronic Americamysis bahia Survival, Growth and Fecundity Test Chronic Cyprinodon variegatus Survival and Growth Test

Performed for:


Jeff Hockaday King George County 10459 Courthouse Drive, Suite 201 King George, VA 22485

Performed by:

James R. Reed & Associates 770 Pilot House Drive Newport News, VA 23606

Respectfully,

Elaine Claiborne
Laboratory Director





TEST SUMMARY SHEET

(For Marine and Freshwater Tests) Test Method: EPA 1007.0

Facility:	KGSA-DAHLGREN V	VASTEWATER PLANT	NPDES Permit #:	VA0026514	
Outfall/Re	eceiving Stream:	Outfall 001	JRA #:	12-07496	_
	d for Which Data is E quarter, semiannual, c	~	Annual test	-	

SUMMARY OF TEST CONDITIONS

Total Co	Date	Time	
Test Start:	5/15/2012	1125	_
Test End:	5/22/2012	1120	
Test Type (chronic/acute):	Chronic	_	
Test Organism: <u>Am</u> Old name: <i>Mysidopsis bahia</i>	vericamysis bahia*	_Age:	7 days
) mL		
Volume of Test Solution per	r Chamber: 150 mL		_
Diluent: 20ppt Forty Fath	homs		
Aeration Period (if necessar	y): None		
Test Photoperiod:	16 hours light / 8 hour	rs dark (50-1	00 ft-c)

RANGE OF CHEMICAL PARAMETERS

Paramete	•	Effluent	Diluent
1. <u>Chlorir</u>	<u>le (mg/L)</u> Initial	<0.02	<0.02
	Adjusted	N/A	
2. <u>Salinity</u>	(ppt) Initial	<1	20-21
	Adjusted	20	
3. <u>pH</u>			
	Initial Adjusted	8.10-8.22 N/A	7.60-8.43
		Page 2	KingGeorge.XLS

12-07496

Test Type&Organism: Chronic Americamysis bahia

RANGE OF CHEMICAL PARAMETERS (Continued):

Parameter	Effluent	Diluent	
4. Alkalinity (mg/L as CaC	O ₃) 94-106 (w/initial salinity)	<u>N/A</u>	
5. Nitrite (mg/L)	0.2	<0.2	
6. Ammonia (mg/L)	0.8	0.8	
7. Hardness (mg/L as CaCC	O_{11} 32-36 (w/initial salinity)	N/A	
8. Conductivity (µmhos/cm	<u>N/A</u>	N/A	
9. <u>DO (mg/L)</u>	5.9-7.3	5.8-7.2	
10. Methods Used for Adjustment of Test Solutions			
Chlorine N/A Salinity Forty Fathoms PH N/A TEST RESULTS			

1. Test Acceptability

Control Survival (%)	100%
Average Weight per Control Organism (mg)	0.305
Average Number of Young per Control (C. dubia)	N/A
60% of Control Females (C. dubia) with 3 Broods?	N/A
Total Number of Male <i>C. dubia</i> in the Test Known Parentage? N/A	N/A
Percent Females Producing Eggs (M. bahia)	0%

2. Method(s) of Statistical Analyses

Survival:	Steel's Many-One Rank Test
Growth:	Dunnett's Test
IC25:	Linear Interpolation
LC50 (at 48 hours):	Visual observation

Page 3

KingGeorge.XLS

TEST RESULTS (Continued)

3. Statistical Results (as appropriate)

	LC50 (at 4	8 hours):		>100%		
	TUa			<	-	
	IC25			52.1%	- 1	
	Survival		(NOEC)	46%	(LOEC)	100%
		Normal I	Distribution (yes/no)	no	_	
		Homoger	neous Variance (yes/no)	N/A	- -	
	Fecundity		(NOEC)	N/A	(LOEC)	N/A
		Normal I	Distribution (yes/no)	N/A	_	
		Homoger	neous Variance (yes/no)	N/A	_	
	Growth		(NOEC)	4%	(LOEC)	10%
		Normal I	Distribution (yes/no)	yes	_	
		Homoger	neous Variance (yes/no)	yes		
	PMSD			12.4%	_	
	TUc			25	_	
	Reference 7		est Date	5/15/2012		
		ID No.		M1098	_	
		Result (n	- ·	10	_	
		QC Rang	e (mg/L)	2.5	_thru _	10
4. Equipme	<u>ent</u>	(Make	Model	Serial #		Probe #)
pH meter		VWR	SB21	00005173		F1
DO meter		YSI	5000	97JO177		N
SCT meter		Orion	3 Star	000642		Al
Temperatur	e	VWR	digi-thermo	N/A		N/A
•						
Chlorine		HACH	Colorimeter TM II	00000994		N/A
5 Protocol	Deviations/	Cammante				
						l
recondity was	not used as a t	riterion of e	ffect due to less than 50% egg	g production in	control temai	ies. -
						_
	·					-
						_
 ·						<u></u>
						_
						_

EFFLUENT USE SHEET (CHRONIC RENEWALS)

Facility: KGSA-DAHLGREN WASTEWATER PLANT VPDES Permit #: VA0026514
--

Outfall/Receiving Stream: Outfall 001 JRA #: 12-07496

Test/Organism: 'Chronic Americamysis bahia

SAMI	PLE COLLE	CTION				
Date(s)		Time(s)		Time(s) SAMPLE USE		JSE
From:	To:	From:	To:	Date(s)	Time(s)	Test Day
5/14/2012	5/15/2012	0600	0600	5/15/2012	1125	0
				5/16/2012	0925	1
				5/17/2012	0945	2
5/16/2012	5/17/2012	0600	0600	5/18/2012	0940	3
				5/19/2012	0945	4
5/18/2012	5/19/2012	0600	0600	5/20/2012	0940	5
				5/21/2012	1000	6

The first use of a sample must be within 36-hours of retrieval from the sample collection device. Last use of sample must be within 72 hours of first use.

TEST SUMMARY SHEET

(For Marine and Freshwater Tests) Test Method: EPA 1004.0

Facility:	KGSA-DAHLGREN V	VASTEWATER PLANT	NPDES Permit #:	VA0026514	
Outfall/Re	eceiving Stream:	Outfall 001	JRA #:	12-07496	
	d for Which Data is Equarter, semiannual, o	_	Annual test		

SUMMARY OF TEST CONDITIONS

Test Start:	Date 5/16/2012	Time 0950	_
Test End:	5/23/2012	0915	_
Test Type (chronic/acute):	Chronic	 -	
Test Organism: Cyprinode	m variegatus	_Age:	24-48 hours
Test Chamber Size: 500 mL			
Volume of Test Solution per Cham	ber: <u>250 mL</u>		_
Diluent: 20ppt Forty Fathoms			
Aeration Period (if necessary):	none		
Test Photoperiod:	16 hours light / 8 hou	rs dark (50-1	00 ft-c)

RANGE OF CHEMICAL PARAMETERS

Parameter		Effluent	Diluent
1. Chlorine	: (mg/L) Initial	<0.02	<0.02
	Adjusted	N/A	
2. <u>Salinity</u>	(<u>ppt)</u> Initial	<	20-21
	Adjusted	20	
3. <u>pH</u>	Initial Adjusted	7.83-8.17 N/A	7.30-8.43

Page 6

KingGeorge.XLS

JRA #:	12-07496		Test Type&Organism: <u>Chron</u>	ic Cyprinodon variegatus
	RANGE	OF CHEM	ICAL PARAMETERS (Contin	nued):
Paramete	er		Effluent	Diluent
4. <u>Alkali</u>	nity (mg/L as	CaCO ₃)	94-106(w/initial salinity)	N/A
5. <u>Ammo</u>	nia (mg/L)		N/A	N/A
6. <u>Hardne</u>	ess (mg/L as	CaCO ₁)	32-36 (w/initial salinity)	N/A
7. <u>Condu</u>	ctivity (µmho	os/cm)	N/A	N/A
8. <u>DO (m</u>	g/L)		5.3-7.3	5.7-7.2
9. <u>Method</u>	ds Used for A	<u>sdjustment</u>	of Test Solutions	
	Chlorine Salinity pH	N/A Forty Fath	homs	
		Т	EST RESULTS	
1. Test Ac	cceptability			
	Control Su	rvival (%)		100%
	Average W	eight per C	ontrol Organism (mg)	1.612
	Average N	umber of Y	oung per Control (C. dubia)	N/A
	60% of Co	ntrol Femal	es (C. dubia) with 3 Broods?	N/A
	Total Numl Known Par		C. dubia in the Test N/A	<u>N/A</u>

2. Method(s) of Statistical Analyses

Survival:	Steel's Many-One Rank Test	
Growth:	Dunnett's Test	
IC25:	Linear Interpolation	
LC50 (at 48 hours):	Visual observation	

Percent Females Producing Eggs (M. bahia)

N/A

TEST RESULTS (Continued)

3. Statistical Results (as appropriate)

	LC50 (at 4	48 hours):		>100%	•••	
	TUa			<1	_	
	IC25 Survival		(NIOE (N	>100%	- (1.000)	
	Survivai	Marmali	(NOEC)	100%	(LOEC)	>100%
			Distribution (yes/no) neous Variance (yes/no)	no n/a	-	
	Growth	Homoge	(NOEC)	100%	.r.orcv	S 1.0007
	Grown	Normal I	Oistribution (yes/no)		(LOEC)	>100%
			neous Variance (yes/no)	yes yes	-	
	PMSD	110111060	neous variance (yes/no)	8.12%	•	
	TUc			0.1270	-	
	Reference	Toxicant T	est Date	5/16/2012	-	
		ID No.		C511	-	
		Result (n	ng/L)	2.0	•	
		QC Rang	e (mg/L)	0.5	thru	2.0
4. Equipme	<u>ent</u>	(Make	Model	Serial #		Probe #)
pH meter		VWR	SB21	00005173		F1
DO meter		YSI	5000	97.10177		N
SCT meter		Orion	3 Star	000642		Al
Temperatur	e	VWR	digi-thermo	N/A		N/A_
Chlorine		НАСН	Colorimeter TM II	00000994		N/A
- n	.	_				
5. <u>Protocol</u>	Deviations/					
			gatus test was set up on 5/16/1		FedEx deliv	ery error.
	The test was s	till initiated v	vithin 36 hours of sample hol	ding time.		

EFFLUENT USE SHEET (CHRONIC RENEWALS)

Facility:	'KGSA-DAHLGREN	WASTEWATER PLANT VPDES Permit #:	VA0026514

Outfall/Receiving Stream: Outfall 001 JRA #: 12-07496

Test/Organism: Chronic Cyprindon variegatus

SAMI	PLE COLLE	CTION				
Date(s))	Time(s)		SAMPLE USE		
From:	To:	From:	То:	Date(s)	Time(s)	Test Day
5/14/2012	5/15/2012	0600	0600	5/16/2012	0950	0
				5/17/2012	0920	1
5/16/2012	5/17/2012	0600	0600	5/18/2012	0915	2
				5/19/2012	0920	3
5/18/2012	5/19/2012	0600	0600	5/20/2012	0920	4
				5/21/2012	0930	5
				5/22/2012	1000	6

The first use of a sample must be within 36-hours of retrieval from the sample collection device. Last use of sample must be within 72 hours of first use.

CUMULATIVE DATA SUMMARY

KGSA-DAHLGREN WASTEWATER PLANT

NPDES: VA0026514

Outfall 001

Date of	Invertebrate	Vertebrate	Invertebrate		Vertebrate	;
Test	LC50 %	LC50 %	NOEC %	A.bahia	NOEC %	C.varieganis
2/24/2009			46%	TUc=2.17	100%	TUc=1
6/22/2009			4%	TUc=25	100%	TUc=1
9/21/2009			100%	TUc=1	100%	TUc=1
11/30/2009	4114 - 4 11411		46%	TUc=2.17	21%	TUc=4.76
3/9/2010			46%	TUc=2.17	100%	TUc=1
6/22/2010			21%	TUc=4.76	100%	TUc=I
9/28/2010			46%	TUc=2.17	100%	TUc=1
11/16/2010			46%	TUc=2.17	100%	TUc=1
4/19/2011			46%	TUc=2.17	100%	TUc=1
5/16/2012			4%	TUc=25	100%	TUc=1



Chronic Americamysis bahia Survival, Growth and Fecundity Test

WATER QUALITY

NPDES#:	NPDES#: VA0026514		CLIENT:	King	Georg	e Count	t <u>y</u>	OUTFALL: 001				
	SAMPLE (PRIOR TO RENEWALS)											
DATE	DAY	COLLECTION DATE/TIME	ARRIVAL DATE	TEMP (°C)	TIVIT Hq	FINAL pH	INIT DO (mg/L)	FINAL DO (mg/L)	INIT SAL (pps)	FINAL SAL (ppt)	INIT TRC (mg/L)	FINAL TRC (mg/L)
5/15/12	0	5/14/12 6:00 5/15/12 6:00	1 (-1 -1 1	25,2	7.85	812	10,4	73	<u> </u>	20	<0.02	
546/12	1	14	٠,	254	7.84	8.17	10.5	7.2	٤ (20	20.02	
5/19/12	2	h1447.1 m2		25.5	7.82	8.16	10,8	7. 2	41	20	20102	
5/18/12	3	5117/12 600	5/17/12	24.2	7.73	8.17	9.7	7.3	21	20	<0.02	
5/19/12	4	5/18/12 600	15	252	7-73	817	10.6	7.3	<1	20	<0.02	
5/20/12		5/19/12 600	5/19/12	エグ・ろ	7.70	8.16	9.9	7.2	1	Ŋ	<0,0	
5/21/12	6	ι,	٠, (25:4	7.66	8.14	10.7	7.3	41	20	<0.04	

DO Adjustments	Date Method Minutes	5/15/12 5/16/12 5/17/12 5/18/12 5/19/12 5/20/12 5/21/12 Aerate Acraft ferme Aerate Acrafe Merate Aerase 15/10-15 15 20 20 20 20 20
pH Adjustments	Date Method Amount	· · · · · · · · · · · · · · · · · · ·
TRC Adjustments	Date Method Amount	

	LUENTY Forty Fa	llioms Hawaiian Marine N	dix Other) (CIRCLE ONE	
DATE	DAY	DATE MADE	TEMP (°C)	рН	DO (mg/L)	SAL (ppt)	TRC (mg/L)
5/15/12	0	5/14/12	25.3	8:43	6.7	20	<0.02
5/16/12	1	5/15/12	25.4	8.21	6.8	21	6.02
5/17/12	2	5/16/12	25.2	8.35	6-7	21	C0.02
5/18/12	3	5/17/12	25.2	8.38	7.2	20	20102
5/19/12	4	5/18/12	25.4	8.36	6.8	20	40.02
5/20/12	5	5/18/12	25.6	8.33	6.6	20	40.0
5/21/12	6	5/19/12	25.7	8.31	6.7	70	< p.c 2



Chronic Americamysis bahia Survival, Growth and Fecundity Test


ndity Test JRA# 12-07496
GENERAL COMMENTS

NPDES#	: VA0026514 CI	LIENT: King George C	County	OUTFALL: 001		_	
	SAMPLE (or highest survi	ving concentration)	CON	CONTROL			
TEST DAY	NITRITE (mg/L) END Solutions	AMMONIA (mg/L) END Solutions	NITRITE (ing/L) END Solutions	AMMONIA (mg/L) END Solutions	АМ	PM	
0	N/A	N/A	N/A	N/A		515112 1215 Km	
1	012	७,४	10.72	0.8	5/16/12	5/16/12	
2	0.2	0.8	<0.2	0.8	5/11/12	5/17/12 12/0 KM	
3	0.2	6.8	<012	0.8	5/18/12 735 Km	5/18/12	
4	0.2	0.8	<0.2	D . 3	5/19/12	5/14/12 1205 King	
5	0.2	6.8	<0.2	0.8	5/20172 730 Ku	5/20112	
6	0.2	0.8	<0.2	0.8	5/21/17	5/21/12 1730 KU	
7	0.2	0.8	<0.2	0.8	N/A	N/A	

	TREATMENT PREPARATIONS CALCULATIONS								ANALYST SIGNATURES	INITIALS
Conc. (%) (circle one)	Total Volume (mL)	Stock Conc. (%) mg/L)	Amount Stock: (mL)	Amount Diluent (inL)	HARD (mg/L)	ALK (mg/L)	Treatment Preparation Calculations	~y	P.D.	45
Control	1200	100	0	1200	NA	MA	Number of Organisms	ÞH		
4%	1200	100	48	1152			Statistical Analyses	Ly		
10%	1200	100	120	1080			Statistical Analyses	Ly		
21%	1200	100	252	948						
46%	1200	100	552	648					:	
100%	1200	100	1200	0	32-36	94-106			Kerin	ki
CALCULATIONS	PERFORMED	ВУ	Ly							

TEST CHAMBER SIZE: 230ml	TYPE: Polystyrene VOLUME O	F TEST SOLUTION: 150mL		
COMMENTS:				
	· · · · · · · · · · · · · · · · · · ·			
	<u> </u>			
•				

INIT



OBSERVATIONS

NPDES#:VA	.0026	514	_	CLIE	NT:_I	Cing G	eorge	County			OUTFALL:_	001	
ORGANISM SO	OURC	_							M	1098	HATCH DAT	5/7/12 E: 5/8/12	@ 6830 @ 6830
CONC	REF		NUMB	ER SU	JRVIV 3	ING P	ER DA	4Y 6	7	Females with eggs	Females without eggs	Males	Immature
	1	5	5	5	5	5	5	5	5		1111	1	
Control	2	5	5	5	5	5	5	5	5		1	11	11
	3	5	5	5	5	5	5	5	S		111		11
	4	5	5	5	S	5	5	5	5		11	111	
	5	5	5	5	5	5	5	5	S			1111	-
Survivat: 100 %	6	5	5	5	5	5	5	5	5		1	1111	•
	7	5	5	5	કે	5	5	5	5	-	11	111	
Feaundity: 0 %	8	5	5	<u>5</u>	5	5	5	5	5			11111	
DATE 12		5115	5116	5/17	5/18	5/19	5/20	5/21	5/12		'		
TIME				945									

			N	UMB	ER SU	RVIV	ING P	ER D	¥Υ		Females	Females		
CON	<u>C</u>	REP	0		2	3	4	5	6	_ 7	with eggs	without eggs	Males	Immature
ļļ		1	. 5	<u>:\$</u>	5	5	5	5	5	5				
		2	5	5	5	5	5	5	5	5				
1	4%	3	5	5.	6	5	5	5	5	ς				
ļļ.		4	5	5	5	5	5	5	5	ς			·	
		5	5	5	5	ς	5	5	5	5				<u> </u>
		6	5	ς	5	5	5	5	5	5				
1		7	5	£	5	5	5	5	5	3				
Survival: 100]	8	5	_5	5	5	5	5	5	5		***	-	

CONC	REP	0 0	UMB.	ER SU 2	RVIV 3	ING P	ER DA	Υ	7	Females with eggs	Females without eggs	Males	Townships
	ı	5	5	5	5	5	=	5	Ė	widi eggs	without c582	IMAIES	Immature
	2	5	5	4	4	4	4	4	4				
10%	3	5	5	5	\$	5	5	5	5				·
	4	5	5	إما	5	5	5	5	5				
	5	5	5	کا	5	5	5	5	5				<u> </u>
	6	5	5	5	-5-	5	5	5	5				
97.5	7	5	(٦)	5	5	5	5	Ĺ	5				
Survival:%	8	5	5	5	5	5	5	کا	5				

OBSERVATIONS

		(Continued)			REE!
NPDES#:VA0026514	_CLIENT:	_King George County	_OUTFALL:	001	30°C11

CONC	REP	N 0	UMB	_		ING P	ER DA			Females	Females		
CONC	ICEF	<u> </u>		2	3	4		6	7	with eggs	without eggs	Males	Immature
		5	5	5	5	5	5	5	5				
	2	5	5	5	S	5	5	5	5				
21%	3	5	5	5	5	5	5	5	Ç				
	4	5	5	5	5	5	_5	5	5		_		
	5	5	5	5	5	5	5	.5	S				
	6	5	5	5	5	5	5	5	4				
	7	5	5	ه١	5	5	7	5	5			7	
	_8	5	5	5	5	5	5	5	5				
97.5	9												
Survival: %	10							-				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·

		Ŋ	UMB	ER SL	RVIV	ING P	ER DA	Y		Females	Females		
CONC	REP	0]	2	3	4	5	6	7	with eggs	without eggs	Males	Immature
	1	5	5	5	5	5	5	5	5				-
	2	5	5	5	5	5	5	5	5				
46%	3	5	5	5	5	5	5	5	5				
	4	5	נ	5	5	5	5	5	5				
l	5	5		5	5	5	5	5	5			•	
	6	5	5	5	5	5	5	5	5		.,		
	7	5	ζ	ç	ŝ	5	5	5	5	"-			
	8	5	5	5	5	5	<u>,</u>	5	5				
0	9				-					· · · · ·		,	<u> </u>
Survival:%	10												

		N	UMB	ER SU	RVIV	ING P	ER DA	Υ	:-	Females	Females	<u></u>	
CONC	REP	0	1	2	3	4	5	6	7	with eggs	without eggs	Males	Immature
		5	5	5	5	3	2	2_	li			_	
-	2	5	5	5	5	5	4	4	4				ļ <u> </u>
100%	3	5	5	5	4	4	4	3	3				
	4	5	5	5	4	4	3	3	3				
	5	5	5	5	ئ	4	3	3	2				
	6	5	5	5_	\$	3	3_	3_	-3_				
	7	5	5	5	5	4	3	3	2				
	8	5	3	Ĺ	5	5	4	C.L	4				
سنس	9						<u> </u>	-					
urvival:#	10												

Chronic Americamysis bahia Survival, Growth and Fecundity Test

JRA: 001

12-07496

NPDS# CLIENT: King George County OUTFALL#

VA0026514 **GROWTH DATA**

CONC REP FOIL# FOIL WT(mg) FOIL WT&ORG WT(mg) WT OF ORGS(mg) #ORGS MEAN Α 1R 4.257 5.707 1.45 5 0.290 В 2R 3.830 5.46 1.630 5 0.326 Ĉ Control 3R 4.150 5.926 5 1.776 0.355 Ave. wt of surviving D 4R 4.083 5.704 1.621 5 0.324 Control:(mg) 0.305 E 5R 3.708 5.053 1.345 5 0.269 5 F 6R 4.493 6.099 1.606 0.321 ave. wt: 0.305 G 7R 4.283 5 0.287 5.717 1.434 Η 8R 3.584 4.905 1.321 5 0.264 Α 9R 4.058 5.626 1.568 5 0.314 В 5.088 10R 3.744 1.344 5 0.269 4% С 11R 3.978 5 5.47 1.492 0.298 5.176 ח 12R 3.823 1.353 5 0.271 Ε 13R 3.267 4.613 1.346 5 0.269 F 14R 4.603 5.897 1.294 5 0.259 G 15R 3.852 5.124 1.272 5 0.254 Н 16R 6.075 1.265 5 0.253 ave. wt 0.273 4.81 Α 17R 3.965 5.321 1.356 5 0.271 В 18R 5.164 6.275 1.111 5 0.222 10% C 19R 4.325 1.316 5 5.641 0.263 \Box 20R 4.081 5.368 1.287 5 0.257 E 21R 4.75 6.006 1.256 5 0.251 F 22R 5.005 6.307 5 0.260 1.302 G 5.21 23R 6,403 1.193 5 0.239 Н 24R 5 5.2 6.002 0.802 0.160 lave, wt : 0.241 25R Α 4.83 5.981 1.151 5 0.230 В 26R 3.898 5.332 5 0.287 1.434 21% С 27R 4.784 5.957 1.173 5 0.235 D 28R 3.575 1.259 5 4.834 0.252 E 29R 4.793 5 3.66 1.133 0.227 30R 4.201 5 5.242 1,041 0.208 G 31R 3.605 5.195 1.590 5 0.318 5 I 32R 4.29 5.300 1.010 0.202 lave, wt : 0.245Α 33R 4.526 5.783 1.257 5 0.251 В 34R 5.076 6.321 1.245 5 0.249 46% C 35R 4.95 6.134 1,184 5 0.237 D 36R 3.912 4.999 1.087 5 0.217 E 37R 4.311 5.435 1.124 5 0.225 F 38R 4.865 6.173 5 0.262 1.308 39R G 5 4.807 5.915 1,108 0.222 $\overline{\mathsf{H}}$ 40R 4.217 5.400 5 0.237 ave. wt: 0.237 1.183 Α 41R 4.435 4.886 0.451 5 0.090 ₿ 42R 4.213 5.303 1.09 5 0.218 100% C 43R 5.285 6.059 0.774 5 0.155 D 44R 5.525 6.397 0.872 5 0.174 Ε 45R 5 0.100 4.655 5.154 0.499 F 46R 5.758 6.336 5 0.578 0.116 G 47R 5 4.805 5.449 0.129 0.644 Ι 48R 5.651 6.487 0.836 0.167 ave. wt 0.144 Date 5/17/2012 5/23/2012 Intials LD lLD

Date/Time in Oven 5/22/23@1300	Analyst	KH
Date/Time out of Oven 5/23/12@0700	Analyst	KH

Oven Temp ^o C	104	
Oven Temp ⁰ C_	104	






NPDES#: VA00	26514	C:	LIENT:	King Ge	orge Cou	ınty	OU	TFALL:_(<u>)01</u>
CONC: Control		DAYO	DAYI	DAY 2	DAY 3	DAY4	DAY 5	DAY 6	DAY 7
TEMP (°C)	NEW	25.3	25.4	25.2	25.2	25.4	2516	25.7	N/A
	END	N/A	25.7	25.3	25.7	26.7	25.7	25.6	25.7
pH	NEW	8,43	8.21	8.35.	8.38	8.36	833	8.31	N/A
	END	N/A	7.74	7.76	7.75	7.60	7.75	7.87	7.69
DO (mg/L)	NEW	6.7	6.8	6.7	7.7	6.8	6.6	6.7	N/A
	END	N/A	5.8	6.3	63	6.2	6.0	6.4	6.8
SALINITY (ppt)		20	21	21	20	20	20	20	N/A
DATE/TIME		5/15/12	5/16/12	5/17/17	- 5/18/12	5/19/12	5/20/12	5/21/12	5/22/12
INITIALS		ru	Ku	[u	Pen	Pu	lan	Ku	pri

CONC: 4%		DAY 0	DAY 1	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
TEMP (°C)	NEW	25.3	25.4	25.2	25.1	25,4	25.3	25.7	N/A
	END	N/A	25.7	25.3	257	25.7	25,7	25.6	25.7
рН	NEW	3.34	8.21	8.34	8.37	8.34	8,35	8.27	N/A
	END	N/A	7.7.7	7.57	7.83	7.68	7.67	7.81	7.72
DO (mg/L)	NEW	6.5	6.8	6.7	7.0	6.8	6.8	6.7	- N/A
	END	N/A	5.8	5.9	6.1	6.0	5.7	6.1	6.7
SALINITY (opt)	20	21	2.(20	20	20	20	N/A

CONC: 10%		DAY 0	DAYI	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
TEMP (°C)	NEW	25.3	25.3	25.3	251	25.6	2516	25.7	N/A
	END	N/A	25.7	25,3	25.7	25.7	25.7	25.6	25.7
Hq	NEW	8-32	8,21	8.32	8.36	8.31	8,33	8.26	N/A
	END	N/A	7.84	7.59	7.90	7.74	7.79	7,88	7.79
DO (mg/L)	NEW	67	6.7	6.6	7.0	6.7	6,8	6.6	N/A
	END	N/A	5.9	5.8	6.1	6.1	5.9	6.2	6.7
SALINITY (ppt)	20	21	21	20	20	20	72.0	N/A





NPDES#: VA0	026514	С	LIENT:	King Ge	orge Co	ınty	OU	TFALL: (001
CONC: 21%	 	DAY 0	DAY I	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
TEMP (°C)	NEW	253	25.3	25.2	25.2	25,6	25.6	25.7	N/A
	ÉND	N/A	25.7	2513	25.7	25.7	25.7	25.6	25.7
pН	NEW	8.29	8,20	8.28	8.32	8.28	8.30	8.23	N/A
	END	N/A	7-83	7.80	7.93	7.83		7.88	7.85
DO (mg/L)	NEW	6-7	6.8	6.6	6.9	6.7	6.7	6.6	N/A
	END	N/A	5,9	6.1	6-1	6.2	5.8	6.1	6.8
SALINITY (ppi)	20	ા	21	20	Ź٥	20	20	NIA
DATE/TIME	2012	5/15	5/16	5/17	5/18	5/19	5/20	5/21	5/22
INITIALS		4D	pu	lus	en	Rus	Ja	Cu	Ku

CONC: 46%		DAY 0	DAYI	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
TEMP (°C)	NEW	25.7	25.4	25.3	25,2	25.6	25.6	25.7	N/A
	END	N/A	25.7	25.3	25.7	25.7	25.7	25.6	25,7
pН	NEW	8-22	8.19	8.23	8.25	8.21	8.24	8.18	N/A
	END	N/A	7.96	7.91	8.04	7.48	7.94	7.97	7.96
DO (mg/L)	NEW	6-7	6.8	6.7	710	6.7	6.7	6.8	N/A
	END	N/A	5,9	6.0	6.0	6:1	5.9	6.1	6.7
SALINITY (p	pr)	೨७	2	スロ	20	2.0	20	20	N/A


CONC: 100%		DAY 0	DAYI	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
TEMP (^O C)	NEW	252	25.4	- 2.2	25.2	25:2	25.3	25.4	N/A
	END	N/A	25.7	25.3	25.7	25.7	25.7	2516	25.7
рН	NEW	8:12	8:17	8.16	8117	8.17	8.16	8.14	N/A
	END	N/A	8.10	8.20	8.22	8.18	8-13	8.10	8.16
DO (mg/L)	NEW	7.3	7.2	7,2	7.3	7/3	7.2	7.3	N/A
	END	N/A	5.9	6.3	6.3	6,1	6.1	6.1	6.6
SALINITY (I	ipt)	ا مد	20	70	20	20	20	20	N/A

			Mysid	Survival,	Growth a	nd Fecu	ndity Test-	7 Day St	urvival
Start Date:	5/15/2012		Test ID.	12-07496	ΜB	·	Sample ID):	12-07496MB
End Date:	5/22/2012		Lab ID:	JRR			Sample Ty	vpe:	EFF1-POTW
Sample Date:			Protocol:	EPAM 94-	EPA/600/-	4-91/003	Test Spec		MY-Mysidopsis bahia
Comments:									•
Conc-%	1	2	3	4	5	6	7	8	
control	1,0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
4	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
10	1.0000	0.8000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
21	1.0000	1.0000	1.0000	1.0000	1.0000	0.8000	1.0000	1.0000	
46	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	
100	0.2000	0.8000	0.6000	0.6000	0.4000	0.6000	0.4000	0.8000	

		_	Tr.	ansform:	Arcsin Sc	quare Roo	t	Rank	1-Tailed	
Conc-%	Mean	N-Mean	Mean	Min	Max	CV%	N	Sum	Critical	
control	1.0000	1.0000	1.3453	1.3453	1.3453	0.000	8			
4	1.0000	1.0000	1.3453	1.3453	1.3453	0.000	8	68.00	46.00	
10	0.9750	0.9750	1.3155	1.1071	1.3453	6.400	8	64.00	46.00	
21	0.9750	0.9750	1.3155	1.1071	1.3453	6.400	8	64.00	46.00	
46	1.0000	1.0000	1.3453	1.3453	1.3453	0.000	8	68.00	46.00	
*100	0.5500	0.5500	0.8382	0.4636	1.1071	26.252	8	36.00	46.00	

Auxiliary Tests					Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates nor	n-normal di	stribution	$(p \le 0.05)$	<u>)</u>	0.68102	0.947	-0.9437	6.54768
Equality of variance cannot be co			"	•				0.0 17 00
Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	TU				
Steel's Many-One Rank Test	46	100	67.8233	2.17391	-			
Treatments vs control	\checkmark							

Dose-Response Plot




			Mysid	Survival,	Growth a	nd Fecui	ndity Test-	Growth-	Weight
Start Date:	5/15/2012		Test ID:	12-07496	MB	-	Sample ID);	12-07496MB
End Date:	5/22/2012		Lab ID:	JRR			Sample Ty	ype:	EFF1-POTW
Sample Date:			Protocol:	EPAM 94-	EPA/600/	4-91/003	Test Spec	ies:	MY-Mysidopsis bahia
Comments:									
Conc-%	1	2	3	4	5	6	7	8	
control	0.2900	0.3260	0.3552	0.3242	0.2690	0.3032	0.2868	0.2642	
4	0.3136	0.2688	0.2984	0.2706	0.2692	0.2588	0.2544	0.2530	
10	0.2712	0.2222	0.2632	0.2574	0.2512	0.2604	0.2386	0.1604	
21	0.2302	0.2868	0.2346	0.2518	0.2266	0.2082	0.3180	0.2020	
46	0.2514	0.2490	0.2368	0.2174	0.2248	0.2616	0.2216	0.2366	
100	0.0902	0.2180	0.1548	0.1744	0.0998	0.1156	0.1288	0.1672	

		_		Transform	n: Untran	sformed			1-Tailed	
Conc-%	Mean	N-Mean	Mean	Min	Max	CV%	N	t-Stat	Critical	MSD
control	0.3023	1.0000	0.3023	0.2642	0.3552	10.304	8			
4	0.2734	0.9042	0.2734	0.2530	0.3136	7.917	8	1.776	2.306	0.0376
*10	0.2406	0.7957	0.2406	0.1604	0.2712	14.912	8	3.784	2.306	0.0376
*21	0.2448	0.8096	0.2448	0.2020	0.3180	16.188	8	3.527	2.306	0.0376
* 46	0.2374	0.7852	0.2374	0.2174	0.2616	6,614	8	3.979	2.306	0.0376
*100	0.1436	0.4750	0.1436	0.0902	0.2180	29.940	8	9.727	2.306	0.0376

Auxiliary Tests					Statistic		Critical	····	Skew	Kurt
Shapiro-Wilk's Test indicates nor	mal distribu	ıtion (p >	0.05)		0.98264		0.947		0.14888	0.53808
Bartlett's Test indicates equal var	iances (p =	0.14)			8.28838		15.0863		,	
Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	TU	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test	4	10	6.32456	25	0.03762	0.12445	0.02291	0.00107	1.3E-10	5 42
Treatments vs control	~	~								0, ,_

Dose-Response Plot




		_	_ Mysid	Survival,	Growth a	nd Fecur	ndity Test-	Growth-	Weight	
Start Date:	5/15/2012			12-07496			Sample IE		12-07496MB	_
End Date:	5/22/2012		Lab ID:	JRR			Sample Tv	voe:	EFF1-POTW	
Sample Date: Comments:			Protocot:	EPAM 94-	EPA/600/	4-91/003			MY-Mysidopsis bahia	
Conc-%	1	2	3	4	5	6	7	8		_
control	0.2900	0.3260	0.3552	0.3242	0.2690	0.3032	0.2868	0.2642		_
4	0.3136	0.2688	0.2984	0.2706	0.2692	0.2588	0.2544	0.2530	ı	
10	0.2712	0.2222	0.2632	0.2574	0.2512	0.2604	0.2386	0.1604		
21	0.2302	0.2868	0.2346	0.2518	0.2266	0.2082	0.3180	0.2020	l	
46	0.2514	0.2490	0.2368	0.2174	0.2248	0.2616	0.2216	0.2366		
100	0.0902	0.2180	0.1548	0.1744	0.0998	0.1156	0.1288	0.1672		

		_		Transform	ก: Untran	sformed		Isot	onic
Conc-%	Mean	N-Mean	Mean	Min	Max	CV%	N	Mean	N-Mean
control	0.3023	1.0000	0.3023	0.2642	0.3552	10.304	8	0.3023	1.0000
4	0.2734	0.9042	0.2734	0.2530	0.3136	7.917	8	0.2734	
10	0.2406	0.7957	0.2406	0.1604	0.2712	14,912	8	0.2427	0.8027
21	0.2448	0.8096	0.2448	0.2020	0.3180	16.188	8	0.2427	0.8027
46	0.2374	0.7852	0.2374	0.2174	0.2616	6.614	8	0.2374	
100	0.1436	0.4750	0.1436	0.0902	0.2180	29.940	8	0.1436	

Auxiliary Tests	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.98264	0.947	0.14888	0.53808
Bartlett's Test indicates equal variances (p = 0.14)	8.28838	15.0863		
Linear Interpola	tion (200 Resamples)	_		

				Cities	αι πιτειροί
Point	%	SD	95%	CL	Skew
IC05*	2.087	1.156	1.098	5.391	1.2824
IC10	4.246	2.306	2.197	8.911	4.0292
IC15	7.203	6.947	3.295	29.657	3.0893
IC20	24.863	,17.594	5.498	52.211	0.3004
IC25 🗸	52.135 V	14.877	9.312	62.064	-1.5625
IC40	78.242				
IC50	95.646				
indicates IC	estimate les	s than the	lowest co	oncentrati	on



Mysid Survival, Growth and Fecundity Test-Growth-Weight

Start Date: End Date:

5/15/2012 5/22/2012

Lab ID: JRR


Test ID: 12-07496MB Sample ID: Sample Type: Protocol: EPAM 94-EPA/600/4-91/003 Test Species:

12-07496MB EFF1-POTW

MY-Mysidopsis bahia

Sample Date: Comments:

Dose-Response Plot





Chronic Cyprinodon variegatus Larval Survival and Growth Test OBSERVATIONS

JRA# 12-07496

NPDES#:VA0026514 CLIENT:King George County OUTFALL:

HATCH DATE: 5/14/12 CS// AG(ORGANISM SOURCE: JRA BATCH #: NUMBER SURVIVING/DAY CONC REP DAY 0 DAY I DAY 2 DAY 3 DAY 4 DAY 5 DAY 6 DAY 7 10 10 A k) 10 10 10 10 10 Control 10 10 10 1010 10 10 10 10 С 10 lO 10 10 10 (0 10 x suv _(७० % D CO 10 10 lυ 10 10 10 L D 10 A iO 10 10 10 10 10 10 4% В 10 10 (C) 10 10 C] 10 10 (0 ¢ 10 10 10 10 9 10 4 * SUV 9755 % (\cap) 10 10 10 61 10 10 10 ()10 10 10 10 ÍΟ 10 ιO 10% В 1C) 10 10 10 ιO 10 10 I O C 10 ŧΟ 10 10 10 10 10 TSUV (00 % D 10 10 10 10 10 (0 10 10 Α O i Ιo 10 10 O 10 10 21% В 10 10 10 10 10 10 10 10 Ç 0 10 10 10 Cy 10 10 10 x suv loo 36 10 D [0 10 10 10 10 [6 0 3 A i 0 10 10 10 10 10 10 45% 10 10 10 IN 10 10 10 10 C 10 10 1.0 10 įΟ O lo l D x suv 100% D lD) 10 0] 10 (D 10 10 $\mathbb{L}\Omega$ Oi 10 , O 10 Α 1.0 10 10 100% 10 tO 10 10 10 10 10 10 С $\mathbf{10}$ 10 --0-[-0 10 1-12 F-O-(0x suv_100 % 10 10 01 10 10 10 10 IA 5/16/12 DATE 5117/12 5/18/12 5/19/12 5/20/12/5/21/12 5123/12 5/24/2 TIME 950 920 915 920 930 920 1000 915 INIT Ku مدر KU Kur KU مىرا Can ku

Chronic C.variegatus Survival and Growth Test

NPDS#

CLIENT: King George County GROWTH DATA


OUTFALL#___001

JRA:

12-07496

VPDS# /A0026514		CLILIN	GROWTH DA		OUTFALL#	.001			
	laca	Taa				,			
ONC.	REP	FOIL#	FOIL WT(mg)	FOIL WT&ORG WT(mg)			MEAN		
	A	1H	4.475	21.477	17.002	10	1.700		
<u> </u>	В	2H	3.801	20.144			1.634		
Control	С	3H	4.441	20.755	16.314	1		Ave. wt of sur	
	D	4H	3.408	18.224	14.816	10	1.482	Control:(mg)	<u>1.61</u>
								ave. wt :	1.61
<u> </u>									
	Α	5H	3.002	18.183	15.181	10	1.518	**** • · · · · · · · · · · · · · · · · ·	
	В	6H	3.651	18.030	14.379		1.438		
4%	С	7H	3.232	18.487	15.255	10	1.526		
	D	8H	3.338	18.844	15.506	10	1.551		<u></u>
		 			-7				
						_			
·	۸	OL.	3 570	40.000				ave. wt ;	<u>1.50</u>
	A	9H	3.573	18.631	15.058	10	1.506	_	
4001	В	10H	3.936	19.212	15.276	10	1.528		
10%		11H	4.216	20.787	16.571	10	1.657		
	D	12H	4.145	19.966	15.821	10	1.582		
<u>-</u>								ave. wt :	1.56
	Α	13H	4.159	18.801	14.642	10	1.464	OVC. W.C.	1.00
		14H	3.592	17.935	14.343	10			
21%		15H	3.722	20.461	16.739	10	1.434		
		16H	4.683	19.696		10	1.674		
		1011	4.063	19.090	15.013	10	1.501		
-									
								ave. wt:	1.51
		17H	3.154	19.223	16.069	10	1.607		
		18H	4.568	19.576	15.008	10	1.501		10.000
46%		19H	4.704	21.515	16.811	10	1.681		
	D .	20H	4.256	20.461	16.205	10	1.621		
								ave. wt :	<u>1.602</u>
		21H	5.032	21.544	16.512	10	1.651	i	
		22H	4.138	20.210	16.072	10	1.607	-	
100% (2 7	23H	5.220	22.2	16.980	10	1.698		
		24H	5.326	21.094	15.768	10	1.577		
								ave. wt :	1.633
)ate		5/17/2012	5/24/2012					1.000

Date/Time in Oven: 5/23/12@1030	AnalystKH	Oven Temp ⁰ C104	
Date/Time out of Oven: 5/24/12@0700	Analyst: KH	Oven Temp ⁰ C104	





NPDES#: VA0026514 CLIENT: King George County OLITEALY 2001

Chronic Cyprinodon varieganis Larval Survival and Growth Test

CONC: Control		DAYO	DAYI	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
TEMP	NEW	z5.3	25.2	25.2	はい	25.6	25.7	25.3	N/A
	END	N/A	24.5	24.7	24.5	24.5	24.8	25.3	24.5
pH	NEW	8.43	8.35	8.38	8.36	8.33	8.31	8.21	N/A
	END	N/A	7.75	7.46	7.42	7.61	7.57	7.30	7.50
DO (ma/l)	NEW	6.7	6-7	7,2	6.8	6.6	6.7	6.7	N/A
	END	N/A	6.2	5.7	6,0	2.8	5.8	5.7	6.3
SALINITY (ppt)		20	21	20	20	20	20	21	N/A
DATE/TIME		5/16/12	5/17/12	5/18/12	5/14/12	5/20/12	5/21/12	5/22/12	5/23/1
INITIALS		Ku	Ku	Ku	Ku	1cm	Kel	Ku	jū

CONC: 4%		DAY 0	DAY 1	DAY 2	DAY3	DAY 4	DAY 5	DAY 6	DAY 7
TEMP (°C)	. NEW	24,4	25-2	250	25:4	25.3	25.7	25.3	N/A
	END	N/A	24.5	24.7	24.5	24.5	24.8	14·3	245
рH	NEW	8.17	8.34	8.37	8.34	8.35	8.27	8.20	N/A
	END	N/A	7.73	7.67	7.58	7.60	7.60	7.33	7.57
DO (moft.)	NEW	7.2	6.7	7.0	6.8	6.8	6.7	6.7	N/A
	EMD	N/A	6.1	5.7	6.0	5.7	5. T	5.7	65
SALINITY (apt)	20	21	20	20	20	7.0	21	N/A

CONC: 10%		DAY 0	DAYI	DAY 2	DAY3	DAY 4	DAY 5	DAY 6	DAY 7
TEMP (°C)	NEW	24.4	25.3	25.1	25.6	25.6	25.7	25.3	N/A
The second secon	END	N/A	24.5	24.7	24,5	245	24.8	25.3	24.5
Ħq	NEW	8.18	8.32	8.36	8.31	8,23	8.26	8.19	N/A
	END	N/A	7.77	7.70	761	7.66	7.62	7.36	7.60
DO (ma/L)	NEW	7.2	6.6	7.0	6.7	6.8	6.6	6.7	N/A
	END	N/A	6.1	5.7	6.0	5.7	5-6	5.5	6.5
SALINITY (;	opt)	20	21	20	20	20	20	21	N/A





NPDES#:VA0026514 CLIENT: King George County OUTFALL:001

CONC: 21%		DAY 0	ĐAY I	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
TEMP (PC)	NEW	24.4	25.2	25.2	25.6	25.6	25.7	25.3	N/A
	END	N/A	24.5	24.7	24,5	245	24.8	25.3	24.5
pН	NEW	8.20	828	8.32	8.28	8.30	8.23	8.18	N/A
·	END	N/A	7.83	7.76	7.70	7.72	7.70	7.46	7.71
DO (ma/l)	NEW	7.1	6-6	6.9	6.7	6.7	6.6	6.8	N/A
	END	N/A	6.0	5.7	6.0	5.8	5.7	5.5	6.6
SALINITY (p	pt)	20	21	20	20	20	20	20	N/A
DATE/TIMI	.	5/16/12	5/17/12	5/18/12	5/19	5/20	5/21	5/22	5/23
MITIALS		Ku	KI	ica	Bu	Ken	KU	Ku	ku

CONC: 46%		DAY 0	DAY 1	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
TEMP (°C)	NEW	24.4	25.3	25.2	25.6	25,6	25.7	25.3	N/A
	END	N/A	24.5		24.5	245	24.8	25.3	245
pH	NEW	8.22	8.23	8.25	8.21	8,24	818	8.17	N/A
	END	N/A	7.87	7.92	7.90		7.70	7.60	7.78
DO (me/L)	NEW	7.1	6.7	7.0	6.7	6.7	6.8	6.9	N/A
	END	N/A	5.9	5.8	6:1	5.8	5.5	5.5	6.4
SALINITY (ppt)	20	20	20	20	20	20	20	N/A

CONC: 100%		DAY 0	DAYI	DAY2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
TEMP:	NEW	25.2	25.5	25.2	25.2	25.3	25.4	25.5	N/A
·	END	N/A	245	24.7	24.5	245	248	25.3	245
На	NEW	8.12	8.16	8.17	8.17	8.16	8.14	8.17	N/A
	END	N/A	8.07	8.05	8.05	7.97	7-83	7.85	7.93
DO (moft.)	NEW	7.3	7.2	7.3	7.3	7,2	てら	7.3	N/A
	END	N/A	5.9	5.7	6.0	5.7	5.3	5.4	6.2
SALINITY (opt)	20	20	20	20	20	20	2.0	N/A



Chronic Cyprinodon variegatus Larval Survival and Growth Test

JRA# 12-07496

GENERAL COMMENTS

NPDES#: VA0026514 CLIENT: King Geroge County OUTFALL: 001

FEEDINGS	DAY 0	DAYI	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6
Date/Time		511112 735 km	135	5/14/12	5/20/12	5121112	5 22112
INITIALS			pu	Ku	730 Ku	Ker	730
Date/Time	5/16/12	1210	5/18/12	5/19/12	5/20112	5/21/12	5/22/12
INITIALS	ICY	ku	1cc	164	Ica	1250 1Cm	1430

	TREA	TMENT PREPAI	RATIONS CALCULA	TIONS			ANALYST SIGNATURES	INITIALS
Conc. (mg/L)	Total Volume (mL)	Stock Conc. (mg/L)	Amount Stock (mL)	Amount Diluent (mL)	Verification of:	VERIFIED BY:	£92	49
Control	1000	100%	0	1000	Treatment Preparation Calculations	رک		
4%	1000	100%	40	960	Number of Organisms	4		
10%	1000	100%	100	900	Statistical Analyses	4		
21%	1000	100%	210	790				
46%	1000	100%	460	540	1		(Cerli	- ła -
100%	1000	100%	1000	0	<u> </u>			الذمكس
]		ļ	

TEST CHAMBER SIZE: 500mL TYPE: Polystyrene VOLUME OF TEST SOLUTION: 250mL
COMMENTS: Chrenic cyprinoden variegatus test was get as
hoiding time.



Chronic Cyprinadon variegatus Larval Survival and Growth Test

JRA#_12-07496

WATER QUALITY

NPDES#: VA0026514 CLIENT: King Geroge County OUTFALL: 001

			-	S	AMPLE (F	RIOR TO RE	NEWALS)	<u>-</u>				
DATE	DAY	COLLECTION DATE/TIME	ARRIVAL DATE	TEMP (°C)	INIT Hq	FINAL pH	INIT DO (mg/L)	FINAL DO (mg/L)	INIT SAL (ppt)	FINAL SAL (ppt) 20±1	INIT TRC (mg/L)	FINAL TRC (mg/L)
5/15/12	0	5/15/12 6:00	5/15/12	25.2	7.85	8.12	10.4	7.3	<1	20	20.02	
5/17/12	1	1	.,	25.5	7.82	8.16	10.8	7.2	<1	20	<002	
5118112	2	5/16/12 600	5/17/12	25.2	7.73	8.17	9.7	7.3	41	20	<0.02	
51.9/12	3	11	51	ļ	7.73	8.17	10.6	7.3	21	20	<0.52	
5/20/12	4	5/18/12 600	5/19/12		7.70		9.9	7.2	< 1	20		
5/21/12	5	. 1		25.4	7.66		10.7	7.3	<u> </u>	20	<0.02	
5/22/12	6	- \	()	25·5	7-78		11.0	7,3	41	20	<0.0Z	

DO Adjustments	Date	5/16/12 5/17/12 5/18/12 5/19/12 5/20/12 5/21/12 5/22/12
	Method Minutes	15-10-20 20 20 20 20 20
pH Adjustments	Date Method Amount	
TRC Adjustments	Date Method Amount	


DIL.	UENT (Forty Faths	orns Hawaiian Marine Mi	Other)	CIRCLE ONE	
DATE	DAY	DATE MADE	TEMP (°C) 25±1	pH (6 - 9)	DO (mg/L) >60,<100%	SAL (ppt) 20±1	TRC (mg/L.)
5/16/12	0	5/14/12	25.3	8.43	6.7	20	<0°2
5/17/12	1	5/16/12	25.2	8.35	6.7	21	<0.02
5/18/12	2	5/17/12	25.2	8.38	7.2	70	<0.02
5/19/12	3	5/18/12	2514	826	6.8	. 20	6.02
5/20/12	4	5/18/12	25.6	8.33	6.6	70	<0.02
5/21/12	5	5119/12	26.7	8.31	6.7	2 o	40,0≥
5/22/12	5	5/20/12	25.3	8.21	6.7	21	<0.0

			La	rval Fish Growth a	nd Survival Test-7 Day St	ırvival
Start Date:	5/16/2012		Test ID:	1207496CV	Sample ID:	1207496CV
End Date:	5/23/2012		Lab ID:	JRR	Sample Type:	EFF1-POTW
Sample Date:			Protocol:	EPAM 94-EPA/600	/4-91/003 Test Species:	CV-Cyprinodon variegatus
Comments:					·	
Conc-mg/L	1	2	3	4		
contral	1.0000	1.0000	1.0000	1.0000		
4	1.0000	1.0000	0.9000	1.0000		
10	1.0000	1.0000	1.0000	1.0000		
21	1.0000	1.0000	1.0000	1.0000		
46	1.0000	1.0000	1.0000	1.0000		
100	1.0000	1.0000	1.0000	1.0000		

			Tra	ansform:	Arcsin Sc	uare Roo	Rank	1-Tailed		
Conc-mg/L	Mean	N-Mean	Mean	Min	Max	CV%	N	Sum	Critical	
control	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	4			
4	0.9750	0.9750	1.3713	1.2490	1.4120	5.942	4	16.00	10.00	
10	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	4	18.00	10.00	
21	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	4	18.00	10.00	
46	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	4	18.00	10.00	
100	1.0000	1.0000	1.4120	1.4120	1.4120	0.000	4	18.00	10.00	

Auxiliary Tests			· · ·		Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates nor	n-normal di	stribution (p <= 0.05		0.46508	0.916	-3.0206	13.9892
Equality of variance cannot be co	infirmed							
Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	TU				
Steel's Many-One Rank Test	100	>100	<u> </u>					
Treatments vs control							•	

Dose-Response Plot




·	·		La	rval Fish Growth and Sur	vival Test-7 Day G	rowth
Start Date:	5/16/2012		Test ID:	1207496CV	Sample ID:	1207496CV
End Date:	5/23/2012			JRR	Sample Type:	EFF1-POTW
Sample Date: Comments:			Protocol:	EPAM 94-EPA/600/4-91/0	3 Test Species:	CV-Cyprinodon variegatus
Conc-mg/L	_ 1	2	3	4		
control	1.7002	1.6343	1.6314	1.4816	<u> </u>	
4	1.5181	1.4379	1.5255	1.5506		
10	1.5058	1.5276	1.6571	1.5821		
21	1.4642	1.4343	1.6739	1.5013		
46	1.6069	1.5008	1.6811	1.6205		

		_		Transform	n: Untran		1-Tailed			
Conc-mg/L	Mean	N-Mean	Mean	Min	Max	CV%	N	- t-Stat	Critical	MSD
control	1.6119	1.0000	1.6119	1.4816	1.7002	5.737	4	· · · · · · · · · · · · · · · · · · ·	·	
4	1.5080	0.9356	1.5080	1.4379	1.5506	3.234	4	1.912	2,410	0.1309
10	1.5682	0.9729	1.5682	1.5058	1.6571	4.300	4	0.805	2.410	0.1309
21	1.5184	0.9420	1.5184	1.4343	1.6739	7.061	4	1.721	2.410	0.1309
46	1.6023	0.9941	1.6023	1.5008	1.6811	4.679	4	0.176	2.410	0.1309
100	1.6333	1.0133	1.6333	1.5768	1.6980	3.236	4	-0.395	2.410	0.1309

Auxiliary Tests					Statistic		Critical		Skew	Kurt
Shapiro-Wilk's Test indicates nor	mal distribi	ution (p > 0	0.05)	·	0.98018		0.916		0.17519	-0.0595
Bartlett's Test indicates equal var			•		2.4555		15.0863		0.11.010	0.0000
Hypothesis Test (1-tail, 0.05)	NOEC	LOEC	ChV	TU	MSDu	MSDp	MSB	MSE	F-Prob	df
Dunnett's Test	100	>100			0.13087	0.08119	0.01058	0.0059	0.16484	5.18
Treatments vs control					·				0.10101	0, 10

Dose-Response Plot



100

1.6512 1.6072

1.6980

1.5768

			La	rval Fish Grow	th and Surviv	al Test-7 Day G	rowth
Start Date:	5/16/2012		Test ID:	1207496CV		Sample ID:	1207496CV
End Date:	5/23/2012		Lab ID:	JRR		Sample Type:	EFF1-POTW
Sample Date:			Protocol:	EPAM 94-EPA/	/600/4-91/003	Test Species:	CV-Cyprinodon variegatus
Comments:							
Conc-mg/L	1	2	3	4			
control	1.7002	1.6343	1.6314	1.4816			
4	1.5181	1.4379	1.5255	1.5506			
10	1.5058	1.5276	1.6571	1.5821			
21	1.4642	1.4343	1.6739	1.5013			
46	1.6069	1.5008	1.6811	1.6205			
100	1.6512	1.6072	1.6980	1.5768			

-				Transform	n: Untran	sformed		isoto	nic
Conc-mg/L	Mean	N-Mean	Mean	Min	Max	CV%	N	Mean	N-Mean
control	1.6119	1.0000	1.6119	1.4816	1.7002	5.737	4	1.6119	1.0000
. 4	1.5080	0.9356	1.5080	1.4379	1.5506	3.234	4	1.5660	0.9716
10	1.5682	0.9729	1.5682	1.5058	1.6571	4.300	4	1.5660	0.9716
21	1.5184	0.9420	1.5184	1.4343	1.6739	7.061	4	1.5660	0.9716
46	1.6023	0.9941	1.6023	1.5008	1.6811	4.679	4	1.5660	0.9716
100	1.6333	1.0133	1.6333	1.5768	1.6980	3.236	4	1.5660	0.9716

Auxiliary Tests	Statistic	Critical	Skew Kurt
Shapiro-Wilk's Test indicates normal distribution (p > 0.05)	0.98018	0.916	0.17519 -0.0595
Bartlett's Test indicates equal variances (p = 0.78)	2.4555	15.0863	

Linear Interpolation (200 Resamples)

Point	mg/L	SD	95% CL(Exp)	ar Interpolat Skew	•				
IC05	>100		00.0004(2.00)			···			
IC10	>100								
IC15	>100					1.0			 1
IC20	>100					0.9 1			ļ
IC25 🗸	>100					- 1			
IC40	>100				(0.8			[
IC50	>100				(0.7			į
	·			_	g. (0.6			
					Response	0.5 -			
					od (0.4			
					es.	4			
					ac (0.3 -			
					(0.2			
					(0.1			
					(_{0.0} ქბბ⊷ί	``` \	 >	
					-(0.1 🕌 🛶			
						0	50	100	150

Dose mg/L

Larval Fish Growth and Survival Test-7 Day Growth

Start Date:

5/16/2012

Test ID: 1207496CV

Sample ID:

1207496CV

End Date: Sample Date: 5/23/2012 Lab ID: JRR


Sample Type:


EFF1-POTW CV-Cyprinodon variegatus

Comments

Protocol: EPAM 94-EPA/600/4-91/003 Test Species:

Dose-Response Plot





Toxicity Test Sample Chain of Custody



(Please complete all information) Facility KGSA- DAHLGREN WASTEWATER TREATMENT PLANT NPDES# VA0026514 Address 16383 Dahlgren Rd King George, Virginia 22485 County King George County Pipe/Outfall/Location 001 / Lower Williams Creek Flow Type (Circle One): Continuous Intermittent Batch Stormwater Other: Instream Waste Conc Type of sample: (Grab): Date Time Amount of Sample Collected X (Time Composite): Collected from (Date/Time): 6:00 AM May 14, 2012 To (Date/Time): 6:00 AM May 15, 2012 Number/Volume of Subsamples: 150 mL Time Increment : 15 min Total Amount Collected: 9000 mL (Flow-Proportional Composite:): Collected from (Date/Time): To (Date/Time): Set Volume Subsample/Volume Flow: Total Amount Collected: For variable volume subsamples based on flow/set time Increments -- Attach sample and flow information. Sample collected by: (print) _____ Affiliation: (sign) *Temperature of sample in sample collection device 2.0/6.5 °C *Final temperature of effluent at sample collection point 21.1 *Is sample collection device chilled? YES Is sample packed on ice for shipment? YES *It is required that all samples remain at 0-6°C during collection period and shipment for data to be accepted by the appropriate Regulatory Agency (Do not freeze!) Is the sample chlorinated? **NO** dechlorinated? **NO** If so, how? Permit with interim chlorine limt? NA If yes-limit (mg/L) Field pH 7.66 Field Total Residual Chlorine NA Time: Name of Analyst: Daniel L. Powell Affiliation: Lead Operator Comments/Sample description Dahlgren WWTP Final Effluent 24hr composite 3.5 gal Method of Shipment: Driven to lab w/ County Vehicle Shipment Date / Time: May 15. 2012 Type of test(s) to be performed 7- Day Chronic / Toxicity Test (Specify organisms) Mysidopsis Bahia and Cyprinodon Variegatus **PRINT & SIGN NAMES** M Date/Time 5/15/12 7:00 am Relinquished by print Daniel L. Powell Received by print David Miller /sign Date/Time 5/15/12 7:00 am Relinquished by print David Miller Date/Time 5/15/12 7:26 AM Received by print Jeff Hockaday /sign Date/Time 5/15/12 7:260An Relinquished by print Jeff Hockaday /sign Date/Time 5/15/12 Received by print Mendy hall /sign/h Date/Time 5/15/12 EFFLUENT CONDITION UPON ARRIVAL AT LABORATORY JRA # 12014916 A Arrival Temperature 1, Joc Date: 5/15/12 Time: 9:35 Ice Present; Yes /No Sample Volume: 3.56 Color Light brow Odor Some Solids some pH 1.85 DO (mg/L) 10.4

∠ | TRC (mg/L) < 0.02</p>

Analyst:

Conductivity (µmhos/cm) 613 @ 25.2 °C Salinity (ppt)

Method (For TRC) HACH8167

Toxicity Test Sample Chain of Custody (Please complete all information)



Facility NGSA- DARLGREN WAS I	EVVAIERI	KEATMENT P	LANI
NPDES#			
Address 16383 Dahlgren Rd King	<u>George, Vi</u>	rginia 22485	
Court Ving Coorne Court	Di/O-+C-11/T		wan Williama Casak
County King George County	Pipe/Outtail/Lo	Canon UU1 / LO	wer williams Creek
Flow Type (Circle One): Continuous Intern	nuent batch	Stormwater One	JI:
Instream Waste Conc			
Type of sample:	:	A	1- 0-11
(Grab): Date T	ime	_ Amount of Samp.	le Collected
X (Time Composite): Collected from (I	Date/Time): <u>6:</u>	<u>00 AW Way 16.</u>	, 2012
Number/Volume of Subsemples: 150	O.UU ANI II	May 17, 2012	nin Total Amount Collected: 9000 mL
(Flow-Proportional Composite:): Co	llegted from (T	ota/Time):	10th Amount Collected: 9000 mL
(110w-110portional Composite.). Co	a) iiioii isassii aO O a	to/Time).	
Set Volume Subsample/Volume Flow	, 10 (Da	Total Amor	unt Callacted
Set Volume Subsample/Volume Flow For variable volume subsamples based	i on flow/set ti	IUMI AUIUI	ant contacted:
Sample collected by: (print)	1 OU HOW/SEL M	. CC=1 · · ·	
(sign)	-	_ AIIIIIIIIIIII	
*Temperature of sample in sample collection	device 5 7/1:	_3 °C	
*Final temperature of effluent at sample colle			
*Is sample collection device chilled? YES	Is sample no	cked on ice for shir	ment? VEQ
*It is required that all samples remain at 0-	is sample pe -6°C during co	Destion period and	I shipment for data to be accepted
by the appropriate Regulatory Agency (Do	not freezet)	nection better unt	a simplifiedt for data to be accepted
Is the sample chlorinated? NO dechlorinated	d? NO If so	how?	
Is the sample chlorinated? NO dechlorinated Permit with interim chlorine limt? NA I	f ves- limit (mc	/I.) ΝΔ	
Field pH 7.67 Field Total Residual Chlor	rine NA	Time:	
Name of Analyst: Daniel L. Powell	117	Affiliation · A	ad Operator
Comments/Sample description Dahlgren	WWTP Fins	l Effluent 24h	r composite 2 5 gal
Method of Shipment: Driven to lab w/ C	ounty Vehi	icle	Composite 2.5 gar
Shipment Date / Time: May 17, 2012	SHILLY LOIN	910	
Type of test(s) to be performed 7- Day Chro	nic / Toxicity	- Test	
(Specify organisms) Mysidopsis	Bahia and	Cyprinodon Va	ariegatus
PRINT & SIGN NAMES	Δ.	1 - 1	,
Relinquished by print Daniel L. Powell	_/sign Dan	iel L Voull	Date/Time 5/17/12 6:40 am
Received by print Robert Warner	/sign_	Ff Won	Date/Time 5/17/12 6:40 am
Relinquished by print Robert Warner	/sign Roll	ALWE	Date/Time 5/17/12 9.15
Received by print mendy hall	/sign_man	derloll	Date/Time 5/17/12 9:15
Relinquished by print	/sign		Date/Time
Received by print	/sign		Date/Time
a EFFLUENT CON	ΝΙΤΙΩΝ ΙΦΩΝ Δ	RRIVAL AT LABOR	ATORX
JRA # 12 DO 491. Arrival Temperature 10.4	Pate · A-	Time O	Y D
Sample Volume: 2.5 G. Color Light bro Odor	Some Solids	Same oH	7.73 DO (mg/L) 0 =
Conductivity (µmhos/cm) 520 @ 25.	2 °C Salin	ity (ppt)	
Method (For TRC) HACH8167	> 54411	- VPP• / VPP V Inol	yst:
· · · · · · · · · · · · · · · · · · ·			Jul

Toxicity Test Sample Chain of Custody (Please complete all information)



Facility KGSA- DAHLGREN WAS	TEWATER	R TREATMENT I	PLANT	
NPDES# VA0026514				
Address 16383 Dahlgren Rd Kin	a George.	Virginia 22485	<u> </u>	
			· · · · · · · · · · · · · · · · · · ·	•
County King George County Flow Type (Circle One) Continuous Inte	Pipe/Outfal	VLocation 001 / L	<u>ower Williams Creek</u>	-
			ner:	
Instream Waste Conc				
Type of sample:	Time	Amount of Com	enio Callestad	
(Grab): Date	Dete Time	G:00 AM Man: 4	ipie Conecied	
Number Maluma of Subsemples:		May 19, 2012	main Table of Call of	1. 0000 I
Number/Volume of Subsamples: 1	Ollogical from	me increment: 15	10tal Amount Collecte	a: <u>9000 m</u> L
(Flow-Proportional Composite:):		(Date/Time):		
Set Volume Subsample/Volume Fig.	10 ((Date/Time):		
For veriable volume subsembles be	od on flame	1 Otal Am	tount Collected:	
For variable volume subsamples ba	sed on How/se	a ume increments A	strach sample and flow inform	nation.
Sample collected by: (print)		Amiliation:		_
(sign)*Temperature of sample in sample collection	di 2 0	10.00		
*Final temperature of effluent at sample co	nection point	21.8 °C	· · · · · · · · · · · · · · · · · · · ·	
*Is sample collection device chilled? YE	s sampi	e packed on ice for si	ipment 7 YES	
*It is required that all samples remain at			nd shipment for data to be	accepted
by the appropriate Regulatory Agency (DO HOT IFEEZE	**) *	·	
Is the sample chlorinated? NO dechloring	nea / NO D	(so, now?		-
Permit with interim chlorine limt? NA	_ if yes- limit	(mg/L) NA		_
Field pH 7.73 Field Total Residual Ch	поппе <u>NA</u>	lime:		
Name of Analyst: <u>Daniel L. Powel</u> Comments/Sample description <u>Dahlgre</u>	L NAGACED E	Affiliation:L	ead Operator	
Comments/Sample description Danigre	n www.IPF	<u>inal Effluent 24</u>	<u>hr composite 2.5 gal</u>	•
Method of Shipment: Driven to lab w	County V	<u>eni</u> çle		
Shipment Date / Time: May 19, 2012	·	- -		
Type of test(s) to be performed 7- Day Ch	ronic / Toxi	city Test		
(Specify organisms) Mysidops	is Bania ai	<u>na Cyprinodon</u>	<u>ya</u> riegatus	
PRINT & SIGN NAMES				
Relinquished by print Daniel L. Powe	ll /sign_		Date/Time 5/19/12	
Received by print	/sign		Date/Time 5/19/12	
Relinquished by print	/sign		Date/Time 5/19/12 Date/Time	·-
Received by print	/sign		Date/Time	
Relinquished by print	/sign		Date/Time	
Received by print Kelling	/sign /sign	Ko II o	· · · · · · · · · · · · · · · · · · ·	
resource by print	\21811	plin	Date/Time 5/19/12 (3)	<u>830</u>
C EFFLUENT CO	ONDITION UPO	ON ARRIVAL AT LABO		•
JRA # 12 - 674% Arrival Temperature 1.	<u>6</u> C Date:	5/19/12 Time:	830 Ice Present: Yes	No
Sample Volume: 2,5 Color Light bro Od	or <u>Some</u> So	olids <u>Some</u> pH	7.72 DO (mg/L) 9	G,
Conductivity (µmhos/cm) 534 @	<u>25.3</u> ℃ S	alinity (ppt) < 1	TRC (mg/L) < 0.02	
Method (For TRC) HACH8167		Δn	alvet.	